

ARCHIVE

This information was updated on November 29, 2012. Shimano makes no warranty with respect to this information, including without limitation any warranty on the accuracy of measures, specifications and compatibility of the current products. Regarding any modification and new product information after November 29, 2012, please refer to the Shimano Business Customer Web Site or directly contact the sales person of our company.

SHIMANO

2012-2013

New Products


Line-up Chart

All information in this New Products Line-up Chart is confidential and has been given to you for the sole of your product development staff.

This information should not be photo copied.
Specifications are subject to change without prior notice.

Issued on Nov. 29,2012
SHIMANO INC.

INDEX

 New model

Mountain Bike

| | |
|-----------------|---------|
| XTR | P.1-2 |
| SAINT | P.3 |
| ZEE | P.4 |
| DEORE XT | P.5-6 |
| SLX | P.7-8-9 |
| DEORE | P.10 |
| ALIVIO | P.11-12 |
| ACERA/ALTUS | P.13-14 |
| 29er drivetrain | P.15 |

BMX

| | |
|-----|------|
| DXR | P.16 |
|-----|------|

Trekking Bike

| | |
|----------|---------|
| DEORE XT | P.17 |
| DEORE LX | P.18-19 |
| DEORE | P.20 |

Tourney series

| | |
|-----------|------|
| 3x7-speed | P.21 |
| 3x6-speed | P.22 |
| 7-speed | P.23 |
| 6-speed | P.24 |

Road Bike

| | |
|------------------|---------|
| DURA-ACE | P.25 |
| ULTEGRA | P.26 |
| 105 | P.27 |
| TIAGRA | P.28 |
| SORA | P.29-30 |
| Shimano 2300 | P.31 |
| Tourney for Road | P.32 |
| Shimano A050 | P.33 |
| Cyclocross | P.34-35 |
| Tandem | P.36 |

Small Wheel Bike


| | |
|--------|------|
| CAPREO | P.37 |
|--------|------|


Comfort Bike


| | |
|---------|------|
| ALFINE | P.38 |
| INTER-8 | P.39 |
| INTER-7 | P.40 |
| INTER-5 | P.41 |
| INTER-3 | P.42 |


Di2

| | |
|---------------------------------|------|
| DURA-ACE 9070 series | P.43 |
| ULTEGRA 6770 series | P.44 |
| ALFINE Electronic specification | P.45 |









*Cannot be used with the 6-bolt rotor that is installed with an aluminum adapter. (SM-RT86/76)

SL-M780(R)
RAPIDFIRE Plus shifter

SL-M780-I(R)
RAPIDFIRE Plus shifter Ispec

NEW RD-M781-SGS
SHIMANO SHADOW RD

NEW RD-M786-SGS
SHIMANO SHADOW RD+

NEW RD-M781-SGS
Direct mount SHIMANO SHADOW RD

NEW RD-M786-SGS
Direct mount SHIMANO SHADOW RD+

CS-M771-10
10-speed HG
11-32T
11-34T
11-36T

TOP SWING

FD-M780
Multi clamp

FD-M780-E
BB mount / Direct mount

DOWN SWING

FD-M781
Multi clamp

FD-M781-D
Direct mount
Dual pull / Top pull only

SM-SL78-A
Integration unit

FC-M780
HOLLOWTECH II crankset w/BB unit
42-32-24T

SM-BB70
BB unit

SM-BB71-41A
Press fit type

CN-HG94
10-speed HG-X chain

OT-SP41
Shift outer casing

Hydraulic disc brake

BL-M785
Brake lever
Ispec compatible
Servo wave

BR-M785
Brake caliper for post mount
Pad:
-Metal
-Resin
-Ice Tech Metal
-Ice Tech Resin

SM-BH90-SB
Brake hose

Center lock disc rotor

SM-RT81
203mm
180mm
160mm
Ice Technologies

SM-RT79
203mm
180mm
160mm

6-bolt rotor

SM-RT86
203mm
180mm
160mm
Ice Technologies

SM-RT76
203mm
180mm
160mm

Center lock mount series

Hub

FH-M785
HB-M785
QR Type

FH-M788
12mm E-thru axle

HB-M788
15mm E-thru axle

SM-AX75
OLD=142mm
12mm E-thru axle

HB-M756
FH-M756A
for 6-bolt

HB-M758
15mm E-thru axle for 6-bolt

Complete Wheel

19C rim for XC

UST Tubeless

WH-M785-R

WH-M785-F

WH-M785-F15
15mm E-thru axle

21C rim for Trail

UST Tubeless

WH-M788-R12
12mm axle

WH-M788-R

WH-M788-F15
15mm E-thru axle

29er for XC

UST Tubeless

WH-785-F-29

WH-785-F15-29

WH-785-R-29

for XC

PD-M780
SPD Pedal for XC

CP-FH53
CP-FH56
for
FH-M785
FH-M788

CP-WH14A
for
WH-M785-R
WH-M788-R
WH-M788-R12
WH-M785-R-29

for Trail

PD-M785
SPD Pedal for Trail

CP-FH76
for
FH-756A

SL-M780(R)
RAPIDFIRE Plus shifter

SL-M780-I(R)
RAPIDFIRE Plus shifter I-spec

RD-M781-SGS
RD-M781-GS
SHIMANO SHADOW RD

RD-M786-SGS
RD-M786-GS
SHIMANO SHADOW RD+

RD-M781-SGS
RD-M781-GS
Direct mount SHIMANO SHADOW RD

RD-M786-SGS
RD-M786-GS
Direct mount SHIMANO SHADOW RD+

CS-M771-10
10-speed HG
11-32T
11-34T
11-36T

CN-HG94
10-speed HG-X chain

OT-SP41
Shift outer casing

FD-M785
Multi clamp
FD-M785-E2
Direct mount

FD-M786
Multi clamp
FD-M786-D
Dual pull / Top pull only

FC-M785
HOLLOWTECH II crankset w/BB unit
38-24T
38-26T
40-28T

SM-BB70
BB unit
SM-BB71-41A
Press fit type

SM-SL78-A
Integration unit

SL-M780(L)
RAPIDFIRE Plus shifter

SL-M780-I(L)
RAPIDFIRE Plus shifter I-spec

RD-M781-SGS
RD-M781-GS
SHIMANO SHADOW RD

RD-M786-SGS
RD-M786-GS
SHIMANO SHADOW RD+

RD-M781-SGS
RD-M781-GS
Direct mount SHIMANO SHADOW RD

RD-M786-SGS
RD-M786-GS
Direct mount SHIMANO SHADOW RD+

TOP SWING

DOWN SWING

Hydraulic disc brake

BL-M785
Brake lever
I-spec compatible
Servo wave

BR-M785
Brake caliper for post mount
Pad:
-Metal
-Resin
-Ice Tech Metal
-Ice Tech Resin

SM-BH90-SB
Brake hose

Center lock disc rotor

SM-RT81
203mm
180mm
160mm
Ice Technologies

SM-RT79
203mm
180mm
160mm

6-bolt rotor

SM-RT86
203mm
180mm
160mm
Ice Technologies

SM-RT76
203mm
180mm
160mm

SM-RTAD10*
disc rotor mount adapter

*Cannot be used with the 6-bolt rotor that is installed with an aluminum adapter. (SM-RT86/76)

Center lock mount series

Hub

FH-M785
HB-M785
QR Type

FH-M788
12mm E-thru axle

HB-M788
15mm E-thru axle

SM-AX75
OLD=142mm
12mm E-thru axle

HB-M756
FH-M756A
for 6-bolt

HB-M758
15mm E-thru axle
for 6-bolt

Complete Wheel

19C rim for XC
UST Tubeless

WH-M785-R
WH-M785-F
WH-M785-F15
15mm E-thru axle

21C rim for Trail
UST Tubeless

WH-M788-R12
12mm axle
WH-M788-R
WH-M788-F15
15mm E-thru axle

29er for XC
UST Tubeless

WH-M785-F-29
WH-M785-F15-29
WH-M785-R-29

for XC

PD-M780
SPD Pedal for XC


CP-FH53
CP-FH56
for
FH-M785
FH-M788


CP-WH14A
for
WH-M785-R
WH-M788-R
WH-M788-R12
WH-M785-R-29


for Trail


PD-M785
SPD Pedal for Trail


CP-FH76
for
FH-756A

















ST-EF65-L
EZ FIRE Plus
ST-EF65-9R
9 speed
EZ FIRE Plus

NEW ST-EF51-L
NEW ST-EF51-9R
9 speed EZ FIRE Plus

NEW ST-EF51-A-L
NEW ST-EF51-A-9R
9 speed EZ FIRE Plus

CS-HG20-9
9-speed HG
11-32T
11-34T

NEW FC-M371
44-32-22
48-36-26
Shimano logo
chaincase compatible


BL-M445
Hydraulic disc
Brake lever
BR-M446
Hydraulic disc brake
BR-M375
Mechanical disc brake

NEW SM-RT56
Disc rotor
180mm
160mm
for resin pad only
for 6-bolts


SM-RT30
Disc rotor
180mm
160mm
for resin pad only


HB-RM35
FH-RM35
for disc brake
center lock mount

HB-M475
FH-M475
Disc rotor mount
for 6-bolts



29er drivetrain





FC-MX71
HOLLOWTECH II
crank w/BB unit
w/o gear
SM-CR80-A
single gear
34/38/41/42/43/44/46T



BL-MX70



BR-MX70
Rear only



HB-MX71
FH-MX71




CS-MX66
Sprocket
14/15/16/18T




PD-M647
PD-M545
PD-M424
NEW PD-MX80

CHAIN SIZE: 1/2 x 3/32

ARCHIVE









Disc brake spec

- BL-T665
Hydraulic disc brake lever
Servo wave
3-finger
- SL-T660
RAPIDFIRE Plus shifter


V-BRAKE spec

- ST-T660
RAPIDFIRE Plus
shift/brake
lever for V-BRAKE
3-finger
- SL-T660
RAPIDFIRE Plus shifter
- BL-T660
V-BRAKE lever
3-finger

| Chainstay angle(degree) | |
|--|--|
| 66-69 | 63-66 |
|  |  |
| FD-T660-6 TOP SWING for 44/48T Dual pull Multi clamp | FD-T660A-3 TOP SWING for 44/48T Dual pull Multi clamp |
|  |  |
| FD-T661-6 DOWN SWING Conventional style for 44/48T Dual pull Multi clamp | FD-T661-3 DOWN SWING Conventional style for 44/48T Dual pull Multi clamp |




Hydraulic disc brake (Center lock mount series)



- BR-T665
Disc brake
Pad:
-Resin
-Metal
- HB-T675
for disc brake
- FH-T675
for disc brake
- SM-RT64
180mm(front only)
160mm
Disc rotor
- SM-BH59
Brake hose

V-BRAKE



- BR-T660
Cartridge shoe type
- HB-T670
FH-T670
- SM-PM70
Power modulator
- DH-T660-3N
Hub dynamo
6V-3.0W
- DH-T660-2N
Hub dynamo
6V-2.4W



CP-FH35
CP-FH50
for CS-HG80-9
(11-28T)

CP-FH53
CP-FH56
for
FH-T675
FH-T670

*CP-WH10 : for CS-HG50-9/CS-HG61-9/CS-HG80-9 (11-32T)
CP-WH11 : for CS-M770 (11-32T)





Disc brake spec

- BL-M596
Brake lever
1.5-finger
Ispec compatible
- SL-M590
RAPIDFIRE Plus shifter

V-BRAKE spec

- ST-M590
RAPIDFIRE Plus
Shift/brake lever
3-finger
- SL-M590
RAPIDFIRE Plus shifter
- BL-M590
Brake lever
1.5-finger
- BL-M591
Brake lever
3-finger

RD-M591-SGS
Double Servo

| Chainstay angle(degree) | |
|---|---|
| 66-69 | 63-66 |
|  FD-M590-6 TOP SWING for 44/48T Dual pull Multi clamp CL: 50mm |  FD-M590-3 TOP SWING for 44/48T Dual pull Multi clamp CL: 50mm |
|  FD-M591-6 DOWN SWING for 44/48T Dual pull Multi clamp CL: 50mm |  FD-M591-3 DOWN SWING for 44/48T Dual pull Multi clamp CL: 50mm |



FC-M591
2-Piece Crank Arm
44-32-22T
48-36-26T
chaincase compatible
CL: 50 mm
SM-BB51

Hydraulic disc brake (Center lock mount series)



BR-M596
Disk brake
Pad:
-Resin
-Metal



HB-M595
for disc brake
FH-M595
for disc brake



SM-RT64
180mm
160mm
Disc rotor



SM-BH-90-SS
Brake hose



DH-3D35
Hub Dynamo
6V-3.0W
for disc brake



CS-HG61-9
9-speed HG CS
11-28T
11-32T
11-34T



CN-HG73
Super narrow
HG chain



OT-SP41
Shift outer
casing

V-BRAKE



BR-M590
Cartridge shoe



HB-M590
FH-M590



SM-PM70
Power modulator



DH-3N30
6V-3.0W



WH-MT15-F/R
Disc brake only
Center lock mount



CP-FH53
CP-FH56
for
FH-M595
FH-M590



PD-T400
Click'R



CP-WH12*
CP-WH13
for WH-MT15



PD-M324
SPD Pedal

*CP-WH12 : CS-HG61-9/CS-HG50-9 (11-32T/11-34T)
CP-WH13 : CS-M770 (11-32T/11-34T)

BL-T445
Hydraulic disc
brake lever
3-finger

BL-M505
Hydraulic disc
brake lever


FC-M543-K
Shimano logo
2-Piece Crank Arm
44-32-22T
48-36-26T
chaincase compatible
CL: 50mm

BR-M446
Hydraulic
disc brake
SM-RT66
180mm
160mm

6-bolts rotor


SM-RT66
180mm
160mm

Front: Index

ST  *3)

ST-EF40-7R2S
ST-EF40-L2S
7-speed
EZ FIRE Plus lever







Front: Index

 *1)

*2)5) SL-RS44-7R
*2)5) SL-RS44-L
w/position
LED LIGHT

SL



*2)5) EW-NX60
Wire harness short

 SL-RS47-7R
 SL-RS47-L
 SL-RS45-7R
 SL-RS45-L
 SL-RS36-7R
 SL-RS36-L
SL-RS35-7R
SL-RS35-L
REVOSHIFT


Front: Friction

*2)5) SL-RS44-7R
*2)5) SL-RS44-LN
w/position
LED LIGHT

*2)5) EW-NX60
Wire harness short

 SL-RS36-7R
 SL-RS36-LN
SL-RS35-7R
SL-RS35-LN

Front: Index

SL  *3)


SL-TX50-7R
SL-TX50-L
Thumb shifter Plus

Front: Friction

SL-TX50-7R
SL-TX50-LN
SL-TX30-7R
SL-TX30-LN
Thumb shifter Plus


SL-TZ20-7R
SL-TZ20-LN
Thumb shifter

Index



FD-TX51
TOP SWING
for 48-38-28T
CL: 47.5/50mm


Friction



FD-TX51
TOP SWING
for 48-38-28T
CL: 47.5/50mm

FD-TZ31
DOWN SWING
for 48-38-28T


Index



FD-TX50
TOP SWING
for 42-34-24T
CL: 47.5/50mm

FD-TY10
DOWN SWING
for 42-34-24T


Friction





FD-TX50
TOP SWING
for 42-34-24T
CL: 47.5/50mm


FD-TZ30
DOWN SWING
for 42-34-24T


OPTION


 BB-UN26


 Cassette sprocket
Multiple freewheel
CS-HG20-7
7-speed / 12-28T/12-32T


 MF-HG37
7-speed / 13-28T


 MF-TZ21
7-speed / 14-28T


 MF-TZ21-CP
7-speed / 14-28T
W/Chain protector


 MF-TZ31
7-speed / 14-34T
MegaRange


 MF-TZ31-CP
7-speed / 14-34T
MegaRange
W/Chain protector

 CN-UG51



 OT-SIS40
Shift outer casing



 SM-SP18
SM-BT18



 CP-R750
for 34T low gear



 CP-HG22
for 28T low gear


OPTION



  ID-TX51-7R
Gear Indicator(SIS)
ID-TX51-LC
Left dummy cover

  SM-TX35
Bracket(3hole)
SM-TX20
Bracket(2hole)

  SM-TX36
Cowling (for 3 bracket)
SM-TX21
Cowling


  SC-TX35
Cycle computer


 SC-TX31
Gear change
Timing Indicator



  SM-TX37
Compass

OPTION


Front wheel

 DH-2N30-JW
Hub Dynamo
6V-2.4W


 HB-IM40
w/Power
modulator


  FH-IM20-7
Roller brake free hub
(for CS-HG20-7)


Rear wheel


 RH-IM10
Roller brake
compatible
rear hub for
multi freewheel

OPTION

 BR-M422
Black or Silver


 SM-PM40
SM-PM60
Power
modulator


 BR-IM35-FF
Roller brake


 BR-IM35-RF
Roller brake
SM-CLIP***
Arm clip unit
for chainstay

*2)5) SM-RS44-L
Position
LED Light

LP-X100
LP-X101

 *2)5) LP-RTX3


 RD-TX75
RD-TX55
for 7/6-speed
MegaRange
w/ wheel-type
cable guide pulley


 RD-TX35
for 7/6-speed
MegaRange

*1) w/ CI-Deck available as an option
*2) for Japanese market
*3) not compatible with CI-Deck
*5) Must be used with 2.4W Hub Dynamo

Version 1.7

21





RD-TX75
RD-TX55
for 7/6-speed
MegaRange
w/ wheel-type
cable guide pulley



RD-TX35
for 7/6-speed
MegaRange



RD-FT30
for Single front
chainwheel only
w/ wheel-type
cable guide pulley
Max rear Sprocket: 28T

*1)

*2)5) SL-RS44-7R
*2)5) SM-RS44-L
w/position
LED LIGHT
*2)5) EW-NX60
Wire harness short

NEW SL-RS47-7R
NEW SL-RS45-7R
NEW SL-RS36-7R
SL-RS35-7R
REVOSHIFT

*3)

SL-TX50-7R
SL-TX30-7R
Thumb shifter plus

SL-TZ20-7R
Thumb shifter

Cassette sprocket
Multiple freewheel
CS-HG20-7
7-speed / 12-28T /
12-32T

MF-HG37
7-speed / 13-28T

MF-TZ21
7-speed / 14-28T

MF-TZ21-CP
7-speed / 14-28T
W/Chain protector

MF-TZ31
7-speed / 14-34T
MegaRange

MF-TZ31-CP
7-speed / 14-34T
MegaRange
W/Chain protector

CN-UG51

OT-SIS40
Shift outer
casing

CP-R750
for 34T low gear

CP-HG22
for 28T low gear

CP-HG22
for 28T low gear

OPTION

NEW ID-TX51-7R
Gear Indicator(SIS)
NEW ID-TX51-LC
Left dummy cover

NEW SM-TX35
Bracket(3hole)
NEW SM-TX20
Bracket(2hole)

NEW SM-TX36
Cowling (for 3 bracket)
NEW SM-TX21
Cowling

NEW SC-TX35
Cycle computer

SC-TX31
Gear change
Timing Indicator

NEW SM-TX37
Compass

OPTION

Front wheel

DH-2N30-JW
Hub Dynamo
6V-2.4W

HB-IM40
w/Power
modulator

OPTION

Rear wheel

RH-IM10
Roller brake
compatible
rear hub for
multi freewheel

NEW FH-IM20-7
Roller brake
Free hub
(for CS-HG20-7)

OPTION

BR-M422
Black or Silver

SM-PM40
SM-PM60
Power
modulator

BR-IM35-FF
Roller brake

BR-IM35-RF
Roller brake





SM-CLIP***
Arm clip unit
for chainstay



*2)5) SM-RS44-L
Position
LED Light


LP-X100
LP-X101

*2)5) LP-RTX3



*1) w/ CI-Deck available as an option
*2) for Japanese market
*3) not compatible with CI-Deck
*5) Must be used with 2.4W Hub Dynamo







-  RD-TX75
RD-TX55
for 7/6-speed
MegaRange
w/ wheel-type
cable guide pulley
-  RD-TX35
for 7/6-speed
MegaRange
-  RD-FT30
for Single front
chainwheel only
w/ wheel-type
cable guide pulley
Max rear Sprocket: 28T
Total capacity: 17T
-  **NEW** RD-TY21 *4)
for 6-speed
- RD-TZ50 *4)
for 6-speed



-  *1)
- *2/5) SL-RS44-6R
*2/5) SM-RS44-L
w/position
LED LIGHT
- *2/5) EW-NX60
Wire harness short
- NEW** SL-RS45-6R
NEW SL-RS36-6R
SL-RS35-6R
REVOSHIFT
-  *3)
- SL-TX50-6R
SL-TX30-6R
Thumb shifter plus
- SL-TZ20-6R
Thumb shifter


-  6
- Cassette sprocket
Multiple freewheel
- MF-TZ20
6-speed / 14-28T
- MF-TZ20-CP
6-speed / 14-28T
W/Chain protector
- MF-TZ30
6-speed / 14-34T
MegaRange
- MF-TZ30-CP
6-speed / 14-34T
MegaRange
W/Chain protector







-  CN-UG51
-  OT-SIS40
Shift outer
casing

-  CP-R750
for 34T low gear
- CP-HG22
for 28T low gear
-  CP-HG22
for 28T low gear


- OPTION
-  **NEW** ID-TX51-6R
Gear Indicator(SIS)
NEW ID-TX51-LC
Left dummy cover
 -  **NEW** SM-TX35
Bracket(3hole)
NEW SM-TX20
Bracket(2hole)
 -  **NEW** SM-TX36
Cowling (for 3 bracket)
NEW SM-TX21
Cowling
 -  **NEW** SC-TX35
Cycle computer
 -  SC-TX31
Gear change
Timing Indicator
 -  **NEW** SM-TX37
Compass

- OPTION
- Front wheel
-  DH-2N30-JW
Hub Dynamo
6V-2.4W
 -  HB-IM40
w/Power
modulator


- OPTION
- Rear wheel
-  RH-IM10
Roller brake
compatible
rear hub for
multi freewheel
FH-IM20-7

- OPTION
-  BR-M422
Black or Silver
 -  SM-PM40
SM-PM60
Power
modulator
 -  BR-IM35-FF
Roller brake
 -  BR-IM35-RF
Roller brake
 -  SM-CLIP***
Arm clip unit
for chainstay
 - *2/5) SM-RS44-L
Position
LED Light
 - LP-X100
LP-X101
 -  *2/5) LP-RTX3

*1) w/ Cl-Deck available as an option
*2) for Japanese market
*3) not compatible with Cl-Deck
*4) for 14-28T/ 6-speed MF
*5) Must be used with 2.4W Hub Dynamo



2 × 10-SPEED



ST-6700 **NEW** RD-6700-A-SS

FD-6700-B
FD-6700-F

FC-6700
HOLLOWTECH II
w/ BB cup unit
52-39T/53-39T

SM-BB6700
BB unit
SM-BB71-41B
Press fit type

CN-6701
Super narrow
HG chain for
10-speed


- SL-7900
Shift lever
for Down Tube
- SL-BS79
Shift lever
Bar End
- BL-TT79
Brake lever
for Aero
type bar

For flat handlebar (Double)



SL-R780 BL-R780

3 × 10-SPEED



ST-6700-R **NEW** RD-6700-A-GS
ST-6703-L

FD-6703-B
FD-6703-F

FC-6703
HOLLOWTECH II
w/ BB cup unit
52-39-30T

(SM-BB6700)
BB unit
SM-BB71-41B
Press fit type

NEW CN-6600
Super narrow
HG chain for
10-speed

- SL-7900
- SL-BS79
- BL-TT79
Brake lever
for Aero
type bar

For flat handlebar (Triple)



SL-R780-R BL-R780
SL-R783-L

For Tandem bike

FC-R603/601
52-39-30T/40T



SC-7900
Cycle computer

SM-HR79
Chest belt

SM-SC79
Bracket & ST
sensor L/R

SM-DL79



BR-6700
Caliper brake

BC-1051
Brake cable




CS-6700
10-speed HG CS

11-23T
11-25T
11-28T
12-23T
12-25T
12-30T



OT-SP41
Shift outer
casing

SM-CA50
Cable inline
adjuster



HB-6700
FH-6700

CP-FH05
CP-FH06
CP-FH35
CP-FH31
CP-FH45
CP-FH46
Spoke protector



WH-6700
Road Tubeless
compatible

WH-RS80-C50
WH-RS80-C24
Shimano logo
Wheel set



PD-6700
SPD-SL Pedal

CP-WH23
Spoke protector
for
WH-6700
WH-RS80

BR-R650
Long reach
Caliper brake

2 × 10-SPEED



ST-5700



NEW RD-5701-SS
25T ≤ Lowgear ≤ 30T
NEW RD-5701-GS
27T ≤ Lowgear ≤ 32T



FD-5700-B
FD-5700-F



FC-5700
HOLLOWTECH II
w/ BB cup unit
52-39T/53-39T

FC-5750
HOLLOWTECH II
w/ BB cup unit
50-34T



(SM-BB5700)
BB cups
assembly unit



CN-5701
Super narrow
HG chain
for 10-speed



BR-5700
Caliper brake



BR-R650
Long reach
Caliper brake



BR-R561
Caliper brake



Not compatible with
Road ST lever

NEW BR-R573
Compact
V-BRAKE

BC-1051
Brake cable



CS-5700
10-speed HG CS
11-25T
12-25T
12-27T
11-28T

CS-HG81-10
(11-32T)



OT-SP41
Shift outer
casing

SM-CA50
Cable inline
adjuster



HB-5700
FH-5700

CP-FH05
CP-FH06
CP-FH31
CP-FH35
CP-FH45
CP-FH46
Spoke
protector



DH-3N80
DH-3N72
Hub dynamo
6V-3.0W

DH-2N80
DH-2N72
Hub dynamo
6V-2.4W



WH-RS30-A
WH-RS20-A
WH-RS10-A
Shimano logo
Wheel set

CP-WH23
Spoke protector
for
WH-RS10-A
WH-RS20-A
WH-RS30-A



PD-5700
SPD-SL Pedal



PD-A530
SPD Pedal
PD-A520
SPD Pedal

For flat handlebar (Double)



SL-R780-R
SL-R780-L



BL-R780

3 × 10-SPEED



ST-5700-R
ST-5703-L



NEW RD-5701-GS
25T ≤ Lowgear ≤ 30T



FD-5703-B
FD-5703-F



FC-5703
HOLLOWTECH II
w/ BB cup unit
50-39-30T



(SM-BB5700)
BB cups
assembly unit



CN-5600
Super narrow
HG chain
for 10-speed



NEW BR-R573
Compact
V-BRAKE

BC-1051
Brake cable

For flat handlebar (Triple)



SL-R780-R
SL-R783-L



BL-R780


for 20 / 30-speed

SL-7900
Shift lever
for Down Tube

SL-B579
Shift lever
Bar End

BL-TT79
Brake lever
for
Aero type bar

2 × 10-SPEED




ST-4600-R
ST-4600-L

NEW RD-4601-SS
25T ≤ Lowgear ≤ 30T
NEW RD-4601-GS
27T ≤ Lowgear ≤ 32T


FD-4600-B
FD-4600-F

For flat handlebar (Double)



SL-4600-R
SL-4600-L

BL-4600



for double

FC-4600
2-Piece Crank
Arm
52-39T

FC-4650
2-Piece Crank
Arm
50-34T

FC-R565
2-Piece Crank
Arm
50-34T

(SM-BB4600)



CN-4601
Super narrow
HG chain for
10-speed



BR-4600
Caliper brake

CS-4600
10-speed HG CS
11-25T
12-28T
12-30T

Not compatible with
Road ST lever



NEW BR-R463

BC-1051
Brake cable

CS-HG81-10
11-32T

NEW BR-R515
Disc brake

SM-RT64
Center Lock
mount rotor

BR-R451
Long reach w/
Shimano logo



OT-SP41
Shift outer
casing

SM-CA50
Cable inline
adjuster



HB-4600
FH-4600

CP-FH35
CP-FH31
CP-FH45
CP-FH46
CP-FH05
CP-FH06
Spoke
protector



DH-3N80
DH-3N72
Hub dynamo
6V-3.0W

DH-2N80
DH-2N72
Hub dynamo
6V-2.4W

HB-R505
FH-R505
for disc brake
Center lock rotor mount
OLD: 135mm
Disc brake



WH-RS30-A
WH-RS20-A
WH-RS10-A
Shimano logo
wheel set

CP-WH23
Spoke protector
for
WH-RS30-A
WH-RS20-A
WH-RS10-A

WH-R501
WH-R501-A
Shimano logo
wheel set

CP-FH06
Spoke protector
for 21-25T

CP-FH31
Spoke protector
for 26-30T



NEW PD-R540-LA
PD-R540
SPD-SL Pedal



PD-A530
SPD Pedal
PD-A520
SPD Pedal

3 × 10-SPEED




ST-4600-R
ST-4603-L

NEW RD-4601-GS
25T ≤ Lowgear ≤ 30T


FD-4603-B
FD-4603-F

For flat handlebar (Triple)



SL-4600-R
SL-4603-L

BL-4600



for Triple

FC-4603
2-Piece Crank
Arm
50-39-30T

FC-R563
2-Piece Crank
Arm
50-39-30T

(SM-BB4600)



CN-5600
Super narrow
HG chain for
10-speed


NEW BR-R463

BC-1051
Brake cable

NEW BR-R515
Disc brake

SM-RT64
Center Lock
mount rotor

BR-R451
Long reach w/
Shimano logo





NEW ST-3500-R



NEW SL-3500-R



NEW BL-3500-R



NEW RD-3500-SS



NEW CS-HG50-9
9-speed HG CS
11-25T
11-30T
11-32T
12-25T
13-25T
14-25T



NEW ST-3500-L



NEW SL-3500-L



NEW BL-3500-L




NEW FD-3500-B
Clamp band type



NEW FD-3500-F
Brazed on type



NEW SM-BB4600
BB unit



NEW FC-3550
Double
50-34T
46-34T




NEW FC-R350
Double
52-39T



CN-HG53



OT-SP41
Shift outer casing



SM-CA50
Cable inline adjuster

For Road Bike



NEW BR-3500
Caliper brake



BR-R451
Caliper brake long reach w/Shimano logo

For Pavement Bike

Not compatible with Road ST lever
Compact V-Brake



NEW BR-R353

Mechanical Disc Brake



NEW BR-R515
Brake caliper for post mount


SM-RT64
Center lock disc rotor 160mm

For Cyclocross



BR-CX50
Cantilever brake

BC-1051
Brake cable



NEW HB-3500
NEW FH-3500

CP-FH05
CP-FH06
CP-FH31
CP-FH35
CP-FH45
CP-FH46

for Mechanical Disc Brake



CP-FH31
36H (for 11-30T/CS)

HB-R505
FH-R505
Center lock rotor mount



WH-R501-30
WH-R501-A
WH-R501



NEW PD-R540-LA
PD-R540
SPD-SL Pedal



PD-A530
PD-A520
SPD Pedal

Shimano 2300

(3/2×8-speed)


2 × 8-SPEED

For drop handlebar



For down tube shift
SL-R400 BL-R400

For flat handlebar




BC-1051
Brake cable



CN-HG50
CN-HG40



SM-CA50
Cable inline
adjuster



CP-FH05
CP-FH06
CP-FH31
CP-FH35





3 × 8-SPEED

For drop handlebar



For flat handlebar





Shimano A050

(2x7-speed)



SL-A050-LN
SL-A050-7R
Shift lever for handle mount
SL-SY20A
Shift lever for Stem or handlebar



NEW RD-A070
RD-A050



FD-A050



MF-TZ21
14-28T
MF-HG37
13-28T




CN-HG40
CN-UG51

ARCHIVE


Cyclocross Components

(ULTEGRA series)




Cyclocross Components

(105/TIAGRA series)




Tandem Components

Ultegra series



wheel size: 20inch max.



11-speed



SG-S700
11-speed
Internal hub gear



SM-S700
Small parts set



SL-S700
RAPIDFIRE Plus

Hydraulic disc brake



BL-S700
Hydraulic disc
brake lever
3-4-finger



BR-S700
Brake caliper
Pad:
-Resin

SM-BH90-SB
Hydraulic brake hose

Center lock disc rotor



SM-RT81-S
160 mm

8-speed



SG-S501
8-speed
Internal hub gear



SM-8S31
Small parts set



NEW SL-S503
RAPIDFIRE Plus

Vertical dropout use

CT-S500
Chain tensioner
Double pulley type



CS-S500
18/20T



FC-S500
39/45T
Double guard spec
(SM-FC4500)

FC-S400
39/45T
Double guard spec

BB-ES25



CN-HG73



DH-S700
Hub dynamo
6V-1.5W



DH-S501
Hub dynamo
6V-3.0W



HB-R505



PD-A530
SPD Pedal

Track dropout use

CT-S510
Chain tensioner
(pulley fixed type)



SM-GEAR
Standard Sprocket
16/18/19/20/21/22/23T



FC-S500
39/45T
Single guard spec
(SM-FC4500)

FC-S400
39/45T
Single guard spec


BB-ES25




CN-HG50




SM-GEAR
Standard Sprocket
16/18/19/20/21/22/23T





ROLLER BRAKE SPEC.



V-BRAKE SPEC.









DURA-ACE 9070 series

(2x11-speed)



SHIMANO ULTEGRA 6770 series

(2x10-speed)



TT/TRI spec

NEW **SW-R671**
Remote Triathlon shifter
Current 2 button design

