

**ARCHIVE**

This information was updated on February 12, 2007. Shimano makes no warranty with respect to this information, including without limitation any warranty on the accuracy of measures, specifications and compatibility of the current products. Regarding any modification and new product information after February 12, 2007, please refer to the Shimano Business Customer Web Site or directly contact the sales person of our company.

# SHIMANO

2007-2008

Products

Line up Chart

All information in this Products Lineup chart is confidential and has been given to you for the sole of your product development staff.

This information should not be photo copied.

Specifications are subject to change with out prior notice.

Issued on Feb. 12, 2007

SHIMANO INC.

Printed in Japan

# INDEX



NEW model



Minor change

## Mountain Bike

XTR P. 2

SAINT P. 3

DEORE XT P. 4

HONE P. 6

DEORE LX P. 7

SHIMANO DEORE P. 8

ALIVIO P. 9

ACERA/ALTUS P. 10

## BMX

DXR P.11

## Comfort

NEXAVE C810 P.12

NEXAVE C530: INTEGO P.13

NEXAVE C500 P.14

NEXAVE T300 P.15

## Tourney series

3x7 speed P.16

3x6 speed P.17

7 speed SIS P.18

6 speed SIS P.19

## Road Bike

DURA-ACE P.20

ULTEGRA P.21

105 P.22

TIAGRA P.23

SORA P.24

2200/A050 P.25

## Folding Bike

CAPREO P.26

ALFINE P.27

## NEXUS

Cyber Nexus P.28

INTER-8 P.29

INTER-7 P.30

AUTO-D (w/INTER-3) P.31

INTER-3 P.32

# XTR

## 27-SPEED

### V-BRAKE spec



BL-M970  
V-BRAKE lever



SL-M970  
RAPIDFIRE-PLUS lever



ST-M970  
Dual Control Lever  
for V-BRAKE

### Disc brake spec



ST-M975  
Dual Control Lever  
for hydraulic  
disc brake



BL-M975  
Hydraulic disc  
brake lever



RD-M970-GS/SGS  
Low normal



FD-M970  
TOP SWING FD  
Dual pull  
Multi clamp  
CL: 50 mm



FC-M970  
HOLLOWTECH II  
crank set  
w/BB unit  
44-32-22T  
44-32-24T  
CL: 50 mm



BR-M970  
V-BRAKE



BR-M975  
Disc brake caliper




BR-M975P  
Disc brake caliper  
for Post mount



SM-BH59  
Brake hose



WH-M970  
V-BRAKE USE



HB-M970  
FH-M970



HB-M975  
FH-M975  
Center lock mount



WH-M975  
Center lock mount  
Disc brake use only



HB-M976  
20 mm axle  
Center lock mount



CS-M970  
9-speed HG CS  
11-32T  
11-34T  
12-34T



CN-7701  
Super narrow  
HG chain



PD-M970

SIS-SP41


CP-FH53  
CP-FH56  
for  
FH-M975,  
FH-M970

CP-WH14 \*1)  
CP-WH15  
for  
WH-M975  
WH-M970

\*1) CP-WH14 : for CS-M970 (11-32T/11-34T/12-34T)  
CP-WH15 : for CS-M770 (11-32T/11-34T)

# Saint

27-SPEED



Note 1  
2 types of RD are available for RD-M801.  
One is for BMX drop-out  
The other is for Standard drop-out.

**NEW** SL-M770  
RAPIDFIRE-PLUS shifter r

# DEORE XT (MTB Gear Combination)

## For all mountain

### STI 27-SPEED



**NEW** SL-M770  
RAPIDFIRE-PLUS  
shifter

**NEW** BL-M775  
Hydraulic disc  
brake lever



**NEW** RD-M772-SGS  
**NEW** RD-M772-GS  
Top normal  
Shimano Shadow  
Rear Derailleur

## For conventional MTB

### STI 27-SPEED



**NEW** ST-M775  
Dual Control Lever  
for hydraulic  
disc brake

**NEW** BL-M775  
Hydraulic disc  
brake lever



**NEW** ST-M770  
Dual Control Lever  
for V-BRAKE

**NEW** BL-M770  
V-BRAKE lever



**NEW** SL-M770  
RAPIDFIRE-PLUS shifter



**NEW** RD-M770-SGS  
**NEW** RD-M770-GS  
Low normal

**NEW** RD-M771-SGS  
**NEW** RD-M771-GS  
Top normal

**NEW** RD-M772-SGS  
**NEW** RD-M772-GS  
Top normal  
Shimano Shadow  
Rear Derailleur

Chainstay angle (degree)	
66-69	
	<b>NEW</b> FD-M770 TOP SWING FD 44/48T Dual pull Multi clamp CL: 50 mm
	<b>NEW</b> FD-M770-E TOP SWING FD 44T BB-mount Dual pull CL: 50 mm
	<b>NEW</b> FD-M771 Conventional style 44T Dual pull Multi clamp CL: 50 mm



**NEW** FC-M770  
HOLLOWTECH II  
crankset w/BB unit  
44-32-22T  
CL: 50 mm




**NEW** BR-M775  
Brake caliper

**NEW** SM-RT78  
Disc rotor (160 mm)  
Center Lock mount

**NEW** SM-RT78M  
Disc rotor (180 mm)  
Center Lock mount

**NEW** SM-RT78L  
Disc rotor (203 mm)  
Center Lock mount

SM-BH59  
Brake hose



**NEW** BR-M770  
V-BRAKE



**NEW** HB-M776  
20 mm axle  
for all  
mountain /  
disc brake  
Center lock  
mount



**NEW** WH-M776  
20 mm axle  
for all  
mountain /  
disc brake  
Center lock  
mount



**NEW** HB-M775  
**NEW** FH-M775  
For disc brake  
Center lock  
mount



**NEW** WH-M775  
For disc brake  
Center lock  
mount



**NEW** CS-M770  
9-speed HG CS  
11-32T  
11-34T



CN-HG93  
Super narrow  
HG chain



**NEW** HB-M770  
**NEW** FH-M770  
For conventional  
MTB / V-BRAKE



**NEW** WH-M770  
For conventional  
MTB / V-BRAKE



SIS-SP41  
Shifting outer  
cable housing

PD-M970  
PD-M540

**NEW** PD-M770



SM-SP17  
(SM-SP18)



PD-M647

CP-FH56  
CP-FH53



PD-M545

**NEW** CP-WH14  
**NEW** CP-WH15  
for  
WH-M770  
WH-M775  
WH-M776



PD-M324

FD-M750  
TOP SWING FD  
44/48T  
CL: 47.5/50 mm

FD-M750-E  
TOP SWING FD  
44/46T  
BB-mount  
CL: 47.5/50 mm

FD-M751  
Conventional style  
44/48T  
CL: 47.5/50 mm

SM-RT75-S  
Disc rotor (160 mm)  
6 bolts rotor mount

SM-RT75-MA  
Disc rotor (180 mm)  
6 bolts rotor mount


SM-RT75-DH  
Disc rotor (203 mm)  
6 bolts rotor mount

HB-M756  
FH-M756  
6 bolts  
Rotor mount




**NEW** SM-RTAD10  
Disc rotor  
adapter

# DEORE XT (Trekking Gear Combination)

## STI 27-SPEED



Chainstay angle (degree)	
63-66	
<b>NEW</b> FD-M772	TOP SWING FD 44/48T Dual pull Multi clamp CL: 50 mm
<b>NEW</b> FD-M773	Conventional style 44/48T Dual pull Multi clamp CL: 50 mm



PD-M970  
PD-M540

**NEW** PD-M770



PD-M647



PD-M545



PD-M324

**NEW** PD-A530  
SPD pedal

SIS-SP41  
Shifting outer  
cable housing



SM-SP17  
(SM-SP18)

CP-FH56  
CP-FH53

CP-WH10 \*1)  
CP-WH11  
for complete  
wheel

**NEW** FD-M770  
TOP SWING FD  
44/48T  
Dual pull  
Multi clamp  
CL: 50 mm  
 FD-M750  
TOP SWING FD  
44/48T  
CL: 47.5/50 mm  
 FD-M751  
Conventional style  
44/48T  
CL: 47.5/50 mm

\*1) CP-WH10 : for CS-M970 (11-32T/11-34T)  
 CP-WH11 : for CS-M770 (11-32T/11-34T)

# Hone

## 27-SPEED M600 series

For 68/73mm  
BB Shell Width

O.L.D. 135mm



SL-M580  
RAPIDFIRE-PLUS  
shifter



BL-M585  
Hydraulic disc  
brake lever

Note 1



RD-M601-GS  
RD-M601-SGS  
Axle mount type  
Top normal




FD-M600  
TOP SWING FD  
Dual pull  
Multi clamp  
CL: 50 mm

FD-M600-E  
TOP SWING FD  
Dual pull  
BB mount  
CL: 50 mm

FD-M601  
Conventional style  
Dual pull  
Multi clamp  
CL: 50 mm



FC-M600-3  
HOLLOWTECH II  
crankset  
w/BB unit  
44-32-22T  
CL: 50 mm



FC-M601-2  
HOLLOWTECH II  
crankset  
w/BB unit  
32-22T  
Bash guard  
CL: 50 mm



BR-M601  
Hydraulic  
disc brake caliper

SM-RT62  
Disc rotor (160mm)  
Center Lock mount

SM-RT62-M  
Disc rotor (180mm)  
Center Lock mount

SM-RT62-L  
Disc rotor (203mm)  
Center Lock mount

SM-BH59  
Brake hose



HB-M600  
10mm steel axle  
Center Lock  
QR type




FH-M600  
10mm steel axle  
Center Lock  
OLD=135mm



CS-M580  
9-speed HG CS  
11-32T  
11-34T



CN-HG73



PD-M647  
PD-MX30

SIS-SP41




CP-FH53  
CP-FH56

Note 1






2 types of RD are available.  
One is for BMX drop-out  
The other is for Standard drop-out.





# DEORE LX (Mega 9 drivetrain 27-speed)










## STI 27-SPEED



-  ST-M585  
Dual Control Lever  
for hydraulic  
disc brake
-  ST-M580  
Dual Control Lever  
for V-BRAKE
-  SL-M580  
RAPIDFIRE-PLUS shifter













-  RD-M580-SGS  
RD-M580-GS  
Low normal
-  RD-M581-SGS  
RD-M581-GS  
Top normal

Chainstay angle (degree)	
66-69	63-66
 FD-M580A-6 TOP SWING FD for 44/48T Dual pull Multi clamp CL: 50 mm	 FD-M580A-3 TOP SWING FD for 44/48T Dual pull Multi clamp CL: 50 mm
 FD-M580-E TOP SWING FD for 44T BB-mount CL: 50 mm	
 FD-M581A-6 Conventional style for 44/48T Dual pull Muti clamp CL: 50 mm	 FD-M581A-3 Conventional style for 44/48T Dual pull Muti clamp CL: 50 mm

-  **NEW** FC-M582  
HOLLOWTECH II  
crankset  
w/ BB unit  
44-32-22T  
CL: 50 mm
-  **NEW** FC-M583-K  
HOLLOWTECH II  
crankset  
w/ BB unit  
Chaincase compatible  
48-36-26T  
44-32-22T  
CL: 50 mm
-  **NEW** FC-M542-L/S  
Shimano logo  
2-piece Crank Arm  
44-32-22T  
CL: 50 mm
-  **NEW** FC-M543-LK/SK  
Shimano logo  
2-piece Crank Arm  
44-32-22T  
48-36-26T  
Use with chain case  
CL: 50 mm

-  BR-M585  
Brake caliper
-  SM-RT62  
Disc rotor (160mm)  
Center Lock mount
-  SM-RT62-M  
Disc rotor (180mm)  
Center Lock mount
-  SM-RT62-L  
Disc rotor (203mm)  
Center Lock mount
-  SM-BH59  
Hydraulic brake hose
-  BR-M580  
V-BRAKE  
Cartridge shoe
-  HB-M585  
FH-M585  
For Disc brake  
Center Lock mount
-  HB-M580  
FH-M580
-  HB-M525  
FH-M525  
Conventional  
disc rotor mount  
Shimano logo


-  CS-M580  
9-speed HG CS  
11-32T  
11-34T
-  CN-HG73  
Super narrow  
HG chain

-  WH-M565  
MTB use  
Center Lock  
rotor mount
-  WH-T565  
Trekking use  
Center Lock  
rotor mount
-  CP-WH10 \*1)  
CP-WH11  
for complete  
wheel
-  WH-M505
-  CP-WH12 \*1)  
CP-WH13
-  PD-M540  
PD-M520
-  SM-SP17  
(SM-SP18)
-  PD-M647
-  CP-FH56  
CP-FH53
-  PD-M545
-  PD-M324
-  SIS-SP41


\*1) CP-WH10/WH12 : for CS-M580/CS-HG70-9/CS-HG50-9 (11-32T/11-34T)  
CP-WH11/WH13 : for CS-M770 (11-32T/11-34T)



# Deore (Mega-9 drivetrain 27-speed)




# Alivio series (Front HG drivetrain 24-speed)




Note 1) FD-M410-E requires special BB slots on the right hand of the BB shell.  
Refer technical information book.


# Acera/Altus series (Front HG drivetrain 24-speed)




# DXR




# NEXAVE C810 (Di2)



# NEXAVE C530 Intego




# NEXAVE C500 (3X8 speed LinkGlide)





# NEXAVE T300

## FRONT HG 21-SPEED HUB ROLLER BRAKE




## FRONT HG 21-SPEED V-BRAKE






# Tourney series (3x7 speed)



# Tourney series (3x6 speed)



\*1) w/ CI-Deck available as an option  
 \*2) for Japanese market  
 \*3) not compatible with CI-Deck  
 \*4) for 14-28T/ 6speed MF  
 \*5) Must be used with 2.4W Hub Dynamo

# Tourney series (7 speed)



- NEW** RD-TX71  
**NEW** RD-TX51  
For 7/6 speed MegaRange Smart cage w/ wheel-type cable guide pulley
- NEW** RD-TX31  
For 7/6 speed MegaRange
- RD-FT30  
for Single front chainwheel only w/ wheel-type cable guide pulley  
Max rear Sprocket: 28T  
Total capacity: 17T

\*1)

\*2)5) SL-RS44-7R w/position LED LIGHT  
SL-RS43-7R  
SL-RS41-7R  
SL-RS41A-7R  
REVOSHIFT

\*3)  
SL-TX50-7R  
SL-TX30-7R  
Thumb shifter



## Option

- Front: Index  
ID-TX50-7R (SIS)  
ID-TX50-L (SIS)

Front: Friction  
ID-TX50-7R (SIS)  
ID-TX50-LN

Front Ratchet  
SM-TX30 Bracket  
SM-TX50 Bracket

\*2)5) SC-TX50 Cycle Computer

SC-TX30 Cycle computer

SC-TX31 Gear change Timing Indicator

SM-TX31 Cowling

SM-TX32 Analogue Compass

## Option

- Front wheel

DH-2N20-E Hub Dynamo 6V-2.4W

HB-IM40 w/Power modulator

## Option

- BR-M421-L/S Black or Silver

SM-PM40 SM-PM60 Power modulator

SM-RS44-L Position LED Light

\*2) LP-M300 LP-M300J SC-M300

- Rear wheel

RH-IM10 Roller brake compatible rear hub for multi freewheel

FH-RM30-7NT

\*1) w/ CI-Deck available as an option

\*2) for Japanese market

\*3) not compatible with CI-Deck

\*5) Must be used with 2.4W Hub Dynamo

# Tourney series (6 speed)



- NEW** RD-TX71  
**NEW** RD-TX51  
For 7/6 speed  
MegaRange  
Smart cage  
w/ wheel-type  
cable guide pulley
- NEW** RD-TX31  
For 7/6 speed  
MegaRange
- RD-FT30  
for Single front  
chainwheel only  
w/ wheel-type  
cable guide pulley  
Max rear Sprocket: 28T  
Total capacity: 17T
- RD-TY18 \*4)  
for 6 speed

\*1)  
\*2)5) SL-RS44-6R  
w/position  
LED LIGHT  
SL-RS43-6R  
SL-RS41-6R  
REVOSHIFT

\*3)  
SL-TX50-6R  
SL-TX30-6R  
SL-TY22-6R  
SL-TY18  
Thumb shifter



MF-TZ06  
6-speed/14-28T



CN-UG51



SM-SP18  
SM-BT18



CP-R750  
for 34T low gear  
CP-HG22  
for 28T low gear



MF-TZ06  
6-speed/14-28T



CN-UG51



SM-SP18  
SM-BT18



CP-HG22  
for 28T low gear

## Option

Front: Index  
ID-TX50-6R (SIS)  
ID-TX50-L (SIS)

Front: Friction  
ID-TX50-6R (SIS)  
ID-TX50-LN

Front Ratchet  
SM-TX30  
Bracket

SM-TX50  
Bracket

\*2)5) SC-TX50  
Cycle Computer

SC-TX30  
Cycle computer

SC-TX31  
Gear change  
Timing Indicator

SM-TX31  
Cowling

SM-TX32  
Analoge Compass

## Option

Front wheel

DH-2N20-E  
Hub Dynamo  
6V-2.4W

HB-IM40  
w/Power  
modulator

## Option

BR-M421-L/S  
Black or Silver

SM-PM40  
SM-PM60  
Power  
modulator


SM-RS44-L  
Position  
LED Light

\*2)  
LP-M300  
LP-M300J  
SC-M300


\*1) w/ CI-Deck available as an option      \*2) for Japanese market  
\*3) not compatible with CI-Deck      \*4) for 14-28T/ 6speed MF  
\*5) Must be used with 2.4W Hub Dynamo

# DURA-ACE

## 20-SPEED



## 30-SPEED



SM-SC70 Bracket/sensor kit wireless



CP-FH05  
CP-FH06  
CP-FH31  
CP-FH35

SIS-SP41



for 20/30-speed

SL-7800 } BL-R600  
SL-BS78 }

for 20-speed flat handlebar bicycle

SL-R770 } FD-R770  
BL-R770 }

for 30-speed flat handlebar bicycle

SL-R770 } FD-R773  
BL-R770 }

for 20-speed

FC-R700 HOLLOWTECH-II crankset w/BB unit 50-34T

BR-R505 Disc brake Center Lock rotor mount



SM-RT62 Center Lock mount rotor

NEW BR-R650 long reach caliper brake



BR-R550 \* Cantilever brake



\* Linkwire should be ordered separately.  
A-LWTYPE (59.5mm)  
A-LWZTYF (64.5mm)

HB-R505



FH-R505



For Disc brake Center Lock rotor mount OLD: 135mm (Refer to technical information)

# SHIMANO ULTEGRA

## 20-SPEED



### SL Series (Ice Grey Version)

ST-6600G	RD-6600G-SS	FD-6600G	SM-SP17	<b>NEW</b> FC-6601G HOLLOWTECH-II w/BB cup unit 52-39T/53-39T	(SM-FC6601) BB cups assembly unit	BR-6600G
----------	-------------	----------	---------	--	---	----------

### Current Silver Version

ST-6600	RD-6600-SS	FD-6600	SM-SP17	FC-6600 HOLLOWTECH-II w/BB cup unit 52-39T/53-39T	(SM-FC6600) BB cups assembly unit	BR-6600
				<b>NEW</b> FC-6650 HOLLOWTECH-II w/BB cup unit 50-34T		

## 30-SPEED



### SL Series (Ice Grey Version)

ST-6603G	RD-6600G-GS	FD-6603G	SM-SP17	<b>NEW</b> FC-6604G HOLLOWTECH-II w/BB cup unit 52-39-30T	(SM-FC6601) BB cups assembly unit	BR-6600G
----------	-------------	----------	---------	--	---	----------

### Current Silver Version

ST-6603	RD-6600-GS	FD-6603	SM-SP17	FC-6603 HOLLOWTECH-II w/BB cup unit 52-39-30T	(SM-FC6600) BB cups assembly unit	BR-6600
---------	------------	---------	---------	--	---	---------



SC-6502  
Cycle Computer

SM-SC70  
Bracket/  
sensor kit  
wireless



HB-6600  
FH-6600



CS-6600  
10-speed HG CS  
11-23T  
12-23T  
12-25T  
12-27T  
13-25T  
14-25T  
15-25T  
16-27T



CN-6600  
Super narrow  
HG chain  
for 10-speed




HP-6500



**NEW** PD-6620



SP-6600  
Ultegra logo



WH-6600  
Ultegra logo

WH-R601  
Shimano logo

CP-WH20-A

WH-3N71-Road  
(front wheel  
w/ hub dynamo)



**NEW** DH-3N80  
DH-3N71  
Hub dynamo  
6V-3.0W

**NEW** DH-2N80  
DH-2N71  
Hub dynamo  
6V-2.4W

for 20/30 speed

SL-7800 BL-R600  
SL-BS78

for 20-speed flat handlebar bicycle

SL-R770 FD-R770  
BL-R770

for 30-speed flat handlebar bicycle

SL-R770 FD-R773-2 for 52-39-30T  
BL-R770

for 20-speed

FC-R700  
HOLLOWTECH-II  
w/BB cup unit  
50-34T

**NEW** BR-R650  
Long reach  
Caliper brake



BR-R550 \*  
Cantilever  
brake



\* Linkwire should be ordered separately.  
A-LWTYPE (59.5mm)  
A-LWZTYF (64.5mm)

BR-R505  
Disc brake  
Center Lock  
rotor mount



SM-RT62  
Center Lock  
mount rotor

HB-R505




FH-R505

For Disc brake  
Center Lock  
rotor mount  
OLD:135mm  
(Refer to technical information)

# SHIMANO 105

## 20-SPEED



ST-5600

RD-5600-SS

FD-5600


SM-SP17

FC-5600  
HOLLOWTECH-II  
w/BB cup unit  
52-39T  
50-39T  
53-39T

(SM-FC5600)  
BB cups  
assembly unit

**NEW** FC-5650  
HOLLOWTECH-II  
w/BB cup unit  
50-34T

## 30-SPEED



ST-5600

RD-5600-GS

FD-5603  
For FC-5603  
(50-39-30T)

SM-SP17

FC-5603  
HOLLOWTECH-II  
w/BB cup unit  
50-39-30T

(SM-FC5600)  
BB cups  
assembly unit

for 20/30 speed

SL-7800 } } } } } BL-R600  
SL-B578

ST-R700  
STI lever w/reach adjust

for 20-speed flat handlebar bicycle

SL-R770 } } } } } FD-R770  
BL-R770

for 30-speed flat handlebar bicycle

SL-R770 } } } } } FD-R773-0 for 50-39-30T  
BL-R770

for 20-speed

FC-R700  
HOLLOWTECH-II  
w/BB cup unit  
50-34T

for 20-speed

**FC-R600**  
2-piece Crank Arm  
50-34T

for 20-speed

**FC-R550**  
2-piece Crank Arm  
52-39T/53-39T/50-39T

for 30-speed

**FC-R553**  
2-piece Crank Arm  
50-39-30T

BR-R505  
Disc brake  
Center Lock  
rotor mount

SM-RT62  
Center Lock  
mount rotor

**NEW** BR-R650  
Long reach  
Caliper brake

BR-R560  
Short reach  
Caliper brake

BR-R550 \*  
Cantilever  
brake

\* Linkwire should be ordered separately.  
A-LWTYPE (59.5mm)  
A-LWZTYF (64.5mm)



SC-6502  
Cycle Computer

SM-SC70  
Bracket/  
sensor kit  
wireless



BR-5600



HB-5600  
FH-5600



CS-5600  
10-speed HG CS  
11-23T  
11-25T  
12-25T  
12-27T



CN-5600  
Super narrow  
HG chain  
for 10-speed

HP-5501 S/L

**NEW** PD-5610  
SPD-SL pedal

SP-R600

SIS-SP41

**NEW** PD-A530  
SPD pedal

CP-FH05  
CP-FH06  
CP-FH31  
CP-FH35

WH-5600  
105 logo  
Wheel set

WH-R580  
Shimano logo  
Wheel set

CP-WH20-A

**NEW** DH-3N80  
Hub dynamo  
6V-3.0W

**NEW** WH-RS20  
Shimano logo  
Wheel set

**NEW** DH-2N80  
Hub dynamo  
6V-2.4W


**NEW** Spoke protector  
for WH-7850/  
WH-RS10

WH-3N71-road  
Front wheel  
w/hub dynamo



# SHIMANO TIAGRA

## 18-SPEED



ST-4500 RD-4500-SS FD-4500 SM-SP17 FC-4500 (52-39T) (SM-FC4500)  
FC-4550 (50-34T)  
2-piece Crank Arm


SL-7700 ..... BL-R400  
SL-BS77 .....?

For flat handle bar



SL-R440 ..... BL-R550 ..... FD-R440

FC-4550-S  
w/Shimano logo  
2-piece Crank Arm  
50-34T




BR-4500

HB-4500  
FH-4500

CS-HG50-9  
9-speed HG CS  
11-25T  
12-23T  
12-25T  
13-25T  
14-25T

CN-HG53  
Super narrow  
HG chain

## 27-SPEED



ST-4500 RD-4500-GS FD-4503 for 50-39-30T SM-SP17 FC-4503 (SM-FC4500)  
2-piece Crank Arm  
50-39-30T

SL-BS77 ..... BL-R400

FD-4403  
for 52-42-30T

For flat handle bar



SL-R440 ..... BL-R550 ..... FD-R453 for 50-39-30T  
FD-R443 for 52-42-30T

BR-R505  
Disc brake

SM-RT63  
Center Lock  
mount rotor

**NEW** BR-R450  
long reach  
w/Shimano logo

BR-R550 \*  
Cantilever  
brake

\* Linkwire should be ordered separately.  
A-LWTYPE (59.5mm)  
A-LWZTYF (64.5mm)

HB-R505

FH-R505

For Disc brake  
Center Lock  
rotor mount  
OLD: 135mm  
(Refer to technical information)



PD-R540  
SPD-SL pedal

PD-A520  
SPD pedal



**NEW** WH-RS10  
wheel set

**NEW** CP-WH23



**NEW** DH-3N80  
DH-3N71  
Hub dynamo  
6V-3.0W

**NEW** DH-2N80  
DH-2N71  
Hub dynamo  
6V-2.4W

WH-R500A  
WH-R500  
CP-FH02  
for 21-25T  
CP-FH35  
for 27T


WH-3N71-road  
Front wheel  
w/hub dynamo

CP-FH01  
CP-FH02  
CP-FH31  
CP-FH35



# SHIMANO SORA

## 18-SPEED




SL-R400 ..... BL-R400

For flat handle bar

SL-R440 ..... BL-R550 ..... FD-R440

## 27-SPEED



SL-R400 ..... BL-R400

FD-4403 for 52-42-30T

For flat handle bar

SL-R440 ..... BL-R550 ..... FD-R453 for 50-39-30T

BR-3400

HB-3300  
FH-3300

CS-HG50-9  
9-speed HG CS  
11-25T  
12-23T  
12-25T  
13-25T  
14-25T

CN-HG53

PD-R540  
SPD-SL pedal

NEW PD-A530  
SPD pedal

PD-A520  
SPD pedal

WH-R500A  
WH-R500  
wheel set

CP-FH01  
CP-FH02  
CP-FH31  
CP-FH35

CP-FH02  
for 21-25T  
CP-FH35  
for 27T

NEW BR-R450  
long reach  
w/Shimano logo


BR-R550 \*  
Cantilever brake

\* Linkwire should be ordered separately.  
A-LWTYPE (59.5mm)  
A-LWZTYF (64.5mm)

# 2200

## 16-SPEED

For drop handle bar




For down tube shift

SL-R400-----BL-R400

For flat handle bar

## 16-SPEED






## 24-SPEED

For drop handle bar



For flat handle bar

## 24-SPEED




CP-FH01  
CP-FH02  
CP-FH31  
CP-FH35

CP-FH02  
for 21-25T  
CP-FH35  
for 27T


# A050

## 14-SPEED



# CAPREO

wheel size : 20inch max.



# ALFINE

## Vertical drop end use



CS-S500  
18/20T



Small parts  
Set

CT-S500  
Chain tensioner



FC-S500  
2 pcs crank set  
w/BB unit  
45T or 39T  
Double chain guard

NEW

FC-S400  
OCTALINK  
45T or 39T  
Double chain guard

BB-ES25

## Track drop end use



SM-GEAR  
STD Sprocket  
16/18/19/20/21/22/23T



Small parts  
Set



FC-S500  
2 pcs crank set  
w/BB unit  
45T or 39T  
Single chain guard

NEW

FC-S400  
OCTALINK  
45T or 39T  
Single chain guard

BB-ES25



SL-S500  
Rapidfire-plus  
shifter



SG-S500  
For disc brake use  
Centerlock mount



BL-S500  
Hydraulic disc  
BL  
4-finger



BR-S500  
Brake caliper

SM-RT62  
Disc rotor  
Centerlock mount

SM-BH59  
Hydraulic brake hose

BL-S502  
Hydraulic disc  
BL  
2.5-finger



DH-S500  
Hub dynamo  
6V-3.0W  
For disc brake use  
Centerlock mount



Auto-L  
Compatible lamp



CN-HG53



NEW WH-S500-3D  
Trekking use  
w/Hub dynamo  
for front

NEW WH-S500-8D  
Trekking use  
w/Internal 8-speed  
for rear


NEW WH-S500-V-3D  
Trekking use  
V-BRAKE  
w/hub dynamo  
for front

NEW WH-S500-V  
Trekking use  
V-BRAKE  
for front


NEW WH-S500-V-8D  
Trekking use  
V-BRAKE  
w/Internal 8-speed  
for rear

NEW PD-A530  
SPD pedal

# Cyber Nexus (Nexus Di2)



# NEXUS INTER-8



# NEXUS INTER-7

## ROLLER BRAKE SPEC.



BR-IM70-R



SG-7R46

BR-IM41-R  
BR-IM50-R

## COASTER BRAKE SPEC.



SG-7C18

(Steel Hub Shell)  
made in Czech

Small Parts  
Set



FC-NX60  
33 / 38T



BB-UN26

## V BRAKE SPEC.



Small parts  
Left hand dust cap



SG-7R46



BL-IM45  
hub roller brake use



SB-7S45  
hub roller brake use



BL-IM65  
hub roller brake use



SL-7S20  
SL-7S10



BL-IM65  
V-brake use



SL-7S20  
SL-7S10



BR-IM75-F



DH-3R30-NT  
DH-3R30-QR  
hub dynamo  
6V-3.0W  
w/Power modulator



Auto-L  
compatible Lamp

BR-IM70-F  
BR-IM50-F  
BR-IM41-F

DH-2R40-QR  
DH-2R30-E  
hub dynamo  
6V-2.4W  
w/Power modulator

HB-IM70  
HB-IM40  
w/Power modulator

\*refer to technical information for selection



CN-NX10



HP-NX10

BL-IM45  
V-brake use

SB-7S45  
V-brake use



BR-M421  
BR-M431



DH-3N30  
hub dynamo  
6V-3.0W



Auto-L  
compatible Lamp


DH-2N30-E  
6V-2.4W

DH-3N30-QR  
hub dynamo  
6V-3.0W  
DH-2N30E-QR  
hub dynamo  
6V-2.4W

DH-3N20  
hub dynamo  
6V-3.0W

# NEXUS AUTO-D w/Inter-3



## ROLLER BRAKE SPEC.




## COASTER BRAKE SPEC.




## V BRAKE SPEC.



## ROLLER BRAKE SPEC.



## COASTER / V BRAKE SPEC.




ARCHIVE




# NEXUS INTER-3







## ROLLER BRAKE SPEC.




## COASTER BRAKE SPEC.



## V BRAKE SPEC.



\*refer to technical information for selection



\*SL-3S41E: Short Grip  
\*SL-3S42E: Long Grip

