## **ARCHIVE**

This information was updated on February 1,2010. Shimano makes no warranty with respect to this information, including without limitation any warranty on the accuracy of measures, specifications and compatibility of the current products. Regarding any modification and new product information after February 1,2010, please refer to the Shimano Business Customer Web Site or directly contact the sales person of our company.




2010-2011 New Products Line-up Chart

## **INDEX**


29er drivetrain

P.13




Mountain Bike		ВМХ		Tourney series		Road Bike		Folding Bike	
XTR	P. 2 · 3	DXR	P.14	3x7-speed	P.18	DURA-ACE	P.22	CAPREO	P.28
SAINT	P. 4	Trekking Bik	e	3x6-speed	P.19	ULTEGRA	P.23	Comfort Bike	
DEORE XT	P.5 · 6	DEORE XT	P.15	7-speed SIS	P.20	105	P.24	ALFINE	P.29
SLX	P.7 · 8	DEORE LX	P.16	6-speed SIS	P.21	TIAGRA	P.25	INTER-8	P.30
DEORE	P. 9	DEORE	P.17			SORA	P.26	INTER-7	P.31
ALIVIO	P.10 · 11					Shimano 2300	P.27	AUTO-D (w/INTER-3)	P.32
ACERA/ALTUS	P.12		K			Shimano A050	P.27	INTER-3	P.33











#### 9/18-SPEED



RAPIDFIRE Plus shifter



BL-M810 Hydraulic disc brake lever



Top normal

Shimano Shadow

Rear Derailleur

For 83 mm BB Shell width



Dual pull Multi clamp



FD-M665-E TOP SWING FD 36T BB mount



FD-M817 Conventional style 36T Dual pull Multi clamp



FC-M815-2 HOLLOWTECH II 36-22T Bash guard

FC-M815-1 HOLLOWTECH II crankset w/BB unit crankset w/BB unit 34/36/38/40/42T Bash quard



FH-M815 12 mm axle type Center Lock mount OLD=150 mm



BR-M810 Disc brake caliper

SM-RT79L Disc rotor (203mm) Center Lock mount

SM-RT79M Disc rotor (180mm)

Center Lock mount SM-RT79

Disc rotor (160mm) Center Lock mount

SM-BH80-SB Brake hose

SM-RT76M

SM-RT76L

Disc rotor (180 mm) 6-bolt rotor mount

Disc rotor (203 mm)

6-bolt rotor mount



CS-M770 9-speed HG CS 11-32T 11-34T

> CS-HG80 9-speed HG CS 11-28T 11-32T 11-34T

CS-6500 9-speed HG CS 11-23T

12-25T



CN-HG93

HG chain

Super narrow

OT-SP41 PD-M647 PD-MX30 Shift outer casing

CP-FH36H2 (for CS-M770) CP-FH35

CP-FH50 (for CS-HG80 11-28T) CP-FH05

CP-FH32H2

CP-FH06 (for CS-6500 11-23T 12-25T)

### For 68/73 mm BB shell width



TOP SWING FD Dual pull



FD-M665-E TOP SWING FD BB mount Dual pull



FD-M667 Conventional style 36T Dual pull Multi clamp



FC-M810-2 HOLLOWTECH II 36-22T Bash guard

FC-M810-1 HOLLOWTECH II crankset w/BB unit crankset w/BB unit 34/36/38/40/42T Bash guard



HB-M810

20 mm axle type

Center Lock mount

FH-M810 12 mm axle type Center Lock mount OLD=135 mm

10 mm axle type Center Lock mount OLD=135 mm



Disc rotor (160 mm) 6-bolt rotor mount

OLD=135 10mm axle


SM-RTAD10

#### SM-RT76 SM-AX80


12mm axle OLD=150 12mm axle Axle with nut

Disc rotor adapter (6-bolt type)









for 6-bolt

SM-RT76L

Disc rotor (203 mm) 6-bolt rotor mount

RAPIDFIRE Plus


V-BRAKE lever

shifter


BL-M770

Rear Derailleur









\*1) CP-WH14-A :for CS-HG80/CS-HG70-9/CS-HG50-9 (11-32T/11-34T) CP-WH15 : for CS-M770 (11-32T/11-34T)

FC-M542-L/S Shimano logo 2-piece Crank Arm 44-32-22T CL: 50mm

FC-M545

FC-M665 HOLLOWTECH II crankset w/BB unit

36-22T

BB mount

Dual pull

FD-M667


Conventional style

Shimano logo 2-piece Crank Arm 36-22T CL: 50mm SM-RT75S 6-bolt disc rotor (160 mm)

SM-RT75MA 6-bolt disc rotor (180 mm)

SM-RT75DH 6-bolt disc rotor (203 mm) FH-M525 HB-M525 6-bolt disc rotor mount Shimano logo





for resin pad only

Disc rotor (180 mm)

Center Lock mount

Disc rotor (203 mm) Center Lock mount for resin pad only

for resin pad only

SM-RT53M

SM-RT53L

SM-RT75MA

6-bolt disc rotor

SM-RT75DH

6-bolt disc rotor

(180 mm)

(203 mm)

Shimano logo

CS-HG50-9

6-bolts

mount

11-32T

11-34T

disc rotor

\*1) CP-WH12 : CS-HG61-9/CS-HG50-9 (11-32T/11-34T) CP-WH13 : CS-M770 (11-32T/11-34T)

9

FD-M511

for 44/48T

Dual pull

Multi clamp

Conventional style

CL: 47.5/50 mm

Shimano logo

chaincase compatible

OCTALINK

44-32-22T

48-36-26T


CL: 50 mm

**OCTALINK BB** 


BB-UN26

Square BB










for resin pad only


CS-HG30-81

8-speed

# SHIMANO ACETA ALTUS



## 29er drivetrain





\*1) CHAIN SIZE: 1/2 x 3/32



### 27-SPEED

### Disc brake spec



SL-M770 RAPIDFIRE Plus shifter



BL-M775A Hydraulic disc brake lever Servo wave 1.5-finger

### V-BRAKE spec



BL-M770

V-BRAKE lever BL-M771 V-BRAKE lever 3-finger

Chainstay angle (degree) 63-66



FD-M772A TOP SWING FD 44/48T Dual pull Multi clamp CL: 50 mm

RD-M771-SGS

RD-M771-GS

Top normal

FD-M773 Conventional style 44/48T Dual pull Multi clamp

CL: 50 mm







(Chaincase compatible) CL: 50 mm

Disc brake / Hydraulic type



BR-M775 Hydraulic disc brake BR-M776

Hydraulic disc brake (banjo connector)

SM-RT79 Disc rotor (160mm) Center Lock mount

SM-RT79M Disc rotor (180mm) Center Lock mount

SM-RT79L Disc rotor (203mm) Center Lock mount

SM-BH59 Brake hose

BR-M770

SM-PM70

Power modulator

V-BRAKE

HB-M775 HB-T708 For disc brake 8mm thru axle Center Lock mount For disc brake Center Lock mount FH-M775

DH-T708 For disc brake Center Lock mount 8mm thru axle Hub Dynamo 6V-3.0W For disc brake Center Lock mount

SM-AX60 DH-3D72 8mm thru axle Hub Dynamo with nut 6V-3.0W For disc brake Center Lock mount

V-BRAKE

HB-M770

FH-M770

DH-3N80

6V-3.0W

Hub Dvnamo

CS-M770 9-speed HG CS 11-32T

CN-HG93

Super narrow HĠ chain 11-34T

OT-SP41

Shift outer casing



WH-T565 Center Lock mount



PD-M540 PD-M770



CP-FH56

for 32H



PD-M545 PD-M424









PD-A530 PD-A520 SPD pedal

PD-M324

\*1) CP-WH10: for CS-M970 (11-32T/11-34T)


CP-WH11: for CS-M770 (11-32T/11-34T)

FD-M770 TOP SWING FD 44/48T Chain stay angle (66-69°) Dual pull Multi clamp

CL: 50 mm FD-M750 TOP SWING FD 44/48T CL: 47,5/50 mm

FD-M751 Conventional style CL: 47,5/50 mm






BL-T605

Hydraulic disc brake lever 4-finger Shimano logo BR-T605 Hydraulic disc brake Shimano logo SM-RT64 Disc Rotor (160mm) Center Lock mount \*1) CP-WH10 : for CS-HG50-9/CS-HG61-9/CS-HG80-9 (11-32T)

CP-WH11: for CS-M770 (11-32T)





DH-3D35

Hub Dynamo

For disc brake

Center Lock mount

6V-3.0W

CL: 47.5/50 mm

BB-ES25

BB-UN26

Square BB

OCTALINK BB

FD-M511

for 44/48T

Dual pull


Multi clamp

Conventional style


CL: 47.5/50 mm

FC-M521-L/S


## Tourney




## Tourney




# Tourney






## DURA-ACE



### SHIMANO ULTEGRA



#### for 20 / 30-speed

SL-7900 SL-BS79

BL-TT79(Carbon) Brake lever for Aero type bar

#### for 20-speed flat handlebar bicylce

52-39-30T

SL-R770-R .... .... FD-6700 BL-R770 ...... FD-6700

### for 30-speed flat handlebar bicylce

SL-R770-R .... FD-R773-2 for 52-39-30T BL-R770





for 10-speed


BR-R550 \* BR-R650 Long reach Cantile Caliper brake brake Cantilever

\* Linkwire should be ordered separately. A-LWTYPE (59.5mm) A-LWZTYF (64.5mm)




Cable inline adjuster

## SHIMANO I



### SHIMANO TIAGRA




### SHIMANO SORA


CP-FH05 CP-FH06

CP-FH31


CP-FH35




## Shimano 2300




## **Shimano A050**







## SHIMANO ALFINE



16/18/19/20/21/22/23T

FC-S500 2 pcs crankset w/BB unit 45T or 39T Single chain guard FC-S400 OCTALINK 45T or 39T Singlechain guard

