

ARCHIVE

This information was updated on February 1,2011. Shimano makes no warranty with respect to this information, including without limitation any warranty on the accuracy of measures, specifications and compatibility of the current products. Regarding any modification and new product information after February 1,2011, please refer to the Shimano Business Customer Web Site or directly contact the sales person of our company.

SHIMANO


2011-2012 New Products Line-up Chart

All information in this New Products Line-up Chart is confidential and has been given to you for the sole of your product development staff.

This information should not be photo copied.
Specifications are subject to change without prior notice.

Issued on Feb.1,2011
SHIMANO INC.
Printed in Japan

INDEX

 New model

Mountain Bike

XTR P.1-2

SAINT P.3

DEORE XT P.4

SLX P.5-6

DEORE P.7

ALIVIO P.8-9

ACERA/ALTUS P.10-11

29er drivetrain P.12

BMX

DXR P.13

Trekking Bike

DEORE XT P.14

DEORE LX P.15

DEORE P.16

Tourney series

3x7-speed P.17

3x6-speed P.18

7-speed SIS P.19

6-speed SIS P.20

Road Bike

DURA-ACE P.21

ULTEGRA 6770 series P.22

ULTEGRA P.23

105 P.24

TIAGRA P.25

SORA P.26

Shimano 2300 P.27

Shimano A050 P.28

Cyclocross P.29

Tandem P.30

Small Wheel Bike

CAPREO P.31

Comfort Bike


ALFINE P.32


INTER-8 P.33

INTER-7 P.34

AUTO-D(w/INTER-3) P.35

INTER-3 P.36







SL-M810-A
RAPIDFIRE Plus shifter



RD-M810-ASS/GS
Top normal
Shimano Shadow
Rear Derailleur

For 83 mm BB Shell width




FD-M815
TOP SWING FD
36T
Dual pull
Multi clamp



FD-M665-E
TOP SWING FD
36T
BB mount
Dual pull



FD-M817
Conventional style
36T
Dual pull
Multi clamp



FC-M815-2
HOLLOWTECH II
crankset w/BB unit
36-22T
Bash guard

FC-M815-1
HOLLOWTECH II
crankset w/BB unit
34/36/38/40/42T
Bash guard

For 68/73 mm BB shell width




FD-M665
TOP SWING FD
36T
Dual pull
Multi clamp



FD-M665-E
TOP SWING FD
36T
BB mount
Dual pull



FD-M667
Conventional style
36T
Dual pull
Multi clamp



FC-M810-2
HOLLOWTECH II
crankset w/BB unit
36-22T
Bash guard

FC-M810-1
HOLLOWTECH II
crankset w/BB unit
34/36/38/40/42T
Bash guard

Center lock mount hub



FH-M815
12mm axle type
OLD=150mm



HB-M810
20mm axle type



FH-M810
12mm axle type
OLD=135mm
10mm axle type
OLD=135mm

Hydraulic disc brake



BL-M810
Brake lever



BR-M810
Brake caliper




NEW SM-RT81
203mm
180mm
160mm
Ice Technologies
SM-BH80-SB
Brake hose



CS-M770
9-speed
HG CS
11-32T
11-34T

CS-HG80
9-speed
HG CS
11-28T
11-32T
11-34T

CS-6500
9-speed
HG CS
11-23T
12-25T



CH-HG93
Super narrow
HG chain



OT-SP41
Shift outer
casing



PD-M647
PD-MX30

CP-FH32H2
CP-FH36H2
(for CS-M770)

CP-FH35
CP-FH50
(for CS-HG80
11-28T)

CP-FH05
CP-FH06
(for CS-6500
11-23T 12-25T)

Center lock mount

SM-RT79
203mm
180mm
160mm

6-bolts rotor mount

NEW SM-RT86
203mm
180mm
160mm
Ice Technologies

SM-RT76
203mm
180mm
160mm

SM-AX80
OLD=135 10mm axle
12mm axle
OLD=150 12mm axle
Axle with nut

SM-RTAD10
Disc rotor
adapter
(6-bolt type)

NEW SL-M780-R
RAPIDFIRE Plus shifter

NEW SL-M780-IR
RAPIDFIRE Plus shifter (Spec)

NEW SL-M780-L
RAPIDFIRE Plus shifter

NEW SL-M780-IL
RAPIDFIRE Plus shifter (Spec)

NEW RD-M780-SGS
NEW RD-M780-GS
Top Normal Shimano Shadow Rear Derailleur

NEW FC-M780
HOLLOWTECH II crankset w/BB unit 42-32-24T

NEW FC-M785
HOLLOWTECH II crankset w/BB unit 40-28T 38-26T

CS-M771-10
10-speed HG 11-36T 11-34T 11-32T

NEW FD-M780
Multi clamp

NEW FD-M780-E
BB mount

NEW FD-M781
Multi clamp

NEW FD-M781-D
Direct mount

NEW FD-M785
Multi clamp

NEW FD-M785-E2
w/o BB Plate

NEW FD-M786
Multi clamp

NEW FD-M786-D
Direct mount

For 3x10

TOP SWING FD

DOWN SWING FD

For 2x10

TOP SWING FD

DOWN SWING FD

NEW CN-HG94
10-speed HG-X chain

NEW OT-SP41
Shift outer casing

NEW BL-M785
Brake lever Servo wave

NEW BR-M785
Brake caliper for post mount
Pad: -Metal -Resin -Ice Tech Metal -Ice Tech Resin

NEW SM-BH90-SB
Brake hose

NEW SM-SP17

Hydraulic disc brake

Center lock disc rotor

NEW SM-RT81
203mm 180mm 160mm
Ice Technologies

NEW SM-RT79
203mm 180mm 160mm

NEW SM-RT86
203mm 180mm 160mm
Ice Technologies

NEW SM-RT76
203mm 180mm 160mm

Center lock mount series

for disc brake

Complete Wheel
for XC racing (19C rim)

Tubeless

NEW WH-M785-R

NEW WH-M785-F

NEW WH-M785-F15
15mm axle

for Trail (21C rim)

Tubeless

NEW WH-M788-R12
12mm axle

NEW WH-M788-R

NEW WH-M788-F15
15mm axle

Hub

NEW FH-M785
HB-M785

NEW FH-M788
12mm rear axle

NEW HB-M788
15mm axle

Rear E-thru axle

NEW SM-AX75
12mm E-thru axle

6-bolts rotor mount

NEW SM-RT86
203mm 180mm 160mm
Ice Technologies

NEW SM-RT76
203mm 180mm 160mm

6-bolts hub

NEW HB-M756
FH-M756A
6-bolts rotor mount

NEW HB-M758
15mm axle for 6-bolts

for XC racing


NEW PD-M780
SPD Pedal for XC racing

CP-FH53
CP-FH56
for FH-M785
FH-M788

CP-WH14A
for WH-M785-R
WH-M788-R
WH-M788-R12

for Trail

NEW PD-M785
SPD Pedal for Trail



NEW SL-M660-10A-R
RAPIDFIRE Plus shifter

RD-M663-SGS
Top Normal Shimano Shadow Rear Derailleur

NEW CS-HG81-10
10-speed HG 11-36T 11-34T 11-32T

TOP SWING FD

FD-M660-10
Multi damp

FD-M660-10E
BB mount

DOWN SWING FD

FD-M661-10
Multi damp

FD-M661-10D
Direct mount

NEW SL-M660-A-L
RAPIDFIRE Plus shifter

FC-M660-10
HOLLOWTECH II Crankset w/BB unit 42-32-24T

CN-HG74
10-speed HG-X chain

QT-SP41
Shift outer casing

SM-SP17

Hydraulic disc brake

NEW BL-M666
Brake lever Servo wave

NEW BR-M666
Brake caliper for post mount
Pad:
-Metal
-Ice Tech Metal
-Ice Tech Resin

SM-BH90-SB
Brake hose

Center lock disc rotor

NEW SM-RT67
203mm 180mm 160mm

FC-M552
Shimano logo 2-Piece Crank Arm 42-32-24T

Center lock disk rotor

NEW SM-RT67-A
203mm 180mm 160mm AL lock ring

6-bolts rotor

SM-RT86
203mm 180mm 160mm Ice Technologies

6-bolts mount hub

HB-M758
15mm axle for 6-bolts

HB-M525A
FH-M525A
6-bolts Disc rotor mount Shimano logo

Complete Wheel

for disk brake Tubeless

WH-MT65-R
WH-MT65-F
(Center lock and 6-bolts rotor mount)

WH-MT65-F15
15mm axle
Center lock mount

NEW WH-MT55-R
NEW WH-MT55-F
NEW WH-MT55-F15
(Center lock)
Black rim / white rim option

Center lock mount hub

FH-M665
HB-M665

HB-M667
20mm axle

HB-M668
15mm axle


PD-M540
PD-M520
for XC

PD-M647
PD-M545
for Trail

NEW PD-M530
for Trail

CP-FH53
CP-FH56
for FH-M665

CP-WH14A
for WH-MT65-R
WH-MT55-R



*1) CP-WH14-A : for CS-HG80/CS-HG70-9/CS-HG50-9 (11-32T/11-34T)

CP-WH15 : for CS-M770 (11-32T/11-34T)

- | | | |
|--|--|--|
| <p>FC-M542-L/S
Shimano logo
2-Piece Crank Arm
44-32-22T
CL : 50mm</p> | <p>SM-RT75S
6-bolts rotor
203mm
180mm
160mm</p> | <p>FH-M525A
HB-M525A
6-bolts
disc rotor mount
Shimano logo</p> |
| <p>FC-M545
Shimano logo
2-Piece Crank Arm
36-22T
CL : 50mm</p> | | |

Disc brake spec

NEW SL-M591
RAPIDFIRE Plus shifter

NEW BL-M596
Brake lever

V-BRAKE spec

NEW SL-M591
RAPIDFIRE Plus shifter

BL-M590
Brake lever
lever1.5-finger

NEW RD-M593-SGS
Shimano Shadow
Rear Derailleur

Chainstay angle (degree)
66-69

NEW FD-M590-10
TOP SWING FD
for 42T
Dual pull
Multi clamp
CL: 50mm

NEW FD-M591-10
DOWN SWING FD
for 42T
Dual pull
Multi clamp
CL: 50mm

Hydraulic disc brake (Center lock mount)

NEW BR-M596
Brake caliper

SM-RT64
Disc rotor
203mm
180mm
160mm

SM-BH90-SS
Brake hose

NEW FC-M590-10
2-Piece Crank Arm
42-32-24T
CL: 50mm

NEW CS-HG62-10
10-speed HG
11-36T
11-34T

NEW CN-HG54
Shift outer
casing

OT-SP41
Shift outer
casing

NEW BR-M590

HB-M595
FH-M595

HB-M590
FH-M590

V-BRAKE

SM-SP17
SM-BT17
(SM-SP18)
(SM-BT18)

NEW PD-M530

PD-M424

CP-FH75
CP-FH76
for
Disc brake hub

CP-FH56
CP-FH53

WH-MT15-F/R
Disc brake only
Center Lock
Black rim /
White rim option

NEW PD-M540
PD-M520
PD-M505

CP-WH10
CP-WH11

CP-WH12
CP-WH13
for WH-MT15/
WH-M505

PD-M324

BL-M575
Hydraulic disc
brake lever

BL-M505
Hydraulic disc
brake lever

NEW FC-M522
OCTALINK version
available
42-32-24T
CL: 50mm

BB-ES25
OCTALINK BB
axle length: 113mm


BR-M575
Hydraulic disc
brake


NEW BR-M446
Hydraulic
disc brake

SM-RT75
6-bolts disc rotor
203mm
180mm
160mm

HB-M525A
Shimano logo
6-bolts
disc rotor mount


FH-M525A
Shimano logo
6-bolts
disc rotor mount





*FD-M410-E requires special BB slots on the right hand of the BB shell.
Refer technical information book.

BR-M422 V-BRAKE	SM-RT51 6-bolts rotor 180mm 160mm for resin pad only	HB-M475 FH-M475 6-bolts Disc rotor mount	HB-RM40 FH-RM30-8 NEW CS-HG41-8 NEW CS-HG31-8 8-speed
---------------------------	---	---	--



NEW **ST-EF65-L**
EZ FIRE Plus

NEW **ST-EF65-9R**
9 speed
EZ FIRE Plus

NEW **CS-HG20-9**
9-speed HG
11-32T
11-34T

BL-M445
Hydraulic disc
Brake lever

NEW **BR-M446**
Hydraulic disc brake


NEW **BR-M375**
Brake caliper

SM-RT51
6-bolts rotor
180mm
160mm
for resin pad only

NEW **SM-RT30**
Center lock disc rotor
(160mm)
for resin pad only

HB-M475
FH-M475
6-bolts
Disc rotor mount

NEW **HB-RM35**
FH-RM35
for disc brake
center lock mount



SL-RS43-8R
SL-RS41-8R
SL-M310-8R
SL-M310-L
ST-M310-8R
ST-M310-L

8-speed RAPIDFIRE Plus Shifter / brake lever

FD-M190 for 42-34-24T CL: 47.5/50mm CS angle 63-66

FD-M190A for 42-34-24T CL: 47.5/50mm CS angle 66-69

FD-M191 for 48-38-28T CL: 47.5/50mm

FC-M171 Square 42-34-24T 48-38-28T CL: 47.5mm

FC-M131 Square 42-34-24T 48-38-28T CL: 47.5mm

SM-RT51 6-bolts rotor (160mm) for resin pad only

SM-RT51M 6-bolts rotor (180mm) for resin pad only

BB-UN26

HB-M475 FH-M475 6-bolts rotor mount type

HB-RM40 FH-RM30-8

HB-RM35 FH-RM35 for disc brake Center lock mount

NEW CS-HG31-8 8-speed 11-30T 11-32T 11-34T

7-speed

SL-M310-7R
ST-EF65-7R
ST-EF51-7R
SL-RS43-7R
SL-RS41-7R
BL-M421

FD-TX50 for 42-34-24T CL: 47.5/50mm

FD-TX51 for 48-38-28T CL: 47.5/50mm


FH-RM30-7


CS-HG41-7 11-28T

CS-HG20-7 7-speed 12-28T 12-32T

CN-UG51

29er drivetrain





FC-MX71
HOLLOWTECH II
crank w/BB unit
w/o gear
SM-CR80-A
single gear
34/38/41/42/43/44/46T



BL-MX70




BR-MX70
Rear only



HB-MX71
FH-MX71




CS-MX66
Sprocket
14/15/16/18T



PD-M647
PD-M545
PD-M424
PD-MX30

CHAIN SIZE: 1/2 x 3/32

ARCHIVE



Disc brake spec

- BL-T665
Hydraulic disc brake lever
Servo wave
3-finger
- SL-T660
RAPIDFIRE Plus shifter

V-BRAKE spec

- ST-T660
RAPIDFIRE Plus
shift/brake
lever for V-BRAKE
3-finger
- SL-T660
RAPIDFIRE Plus shifter
- BL-T660
V-BRAKE lever
3-finger






Chainstay angle(degree)	
66-69	63-66
 FD-T660-6 TOP SWING FD for 44/48T Dual pull Multi clamp	 FD-T660A-3 TOP SWING FD for 44/48T Dual pull Multi clamp
 FD-T661-6 Conventional style for 44/48T Dual pull Multi clamp	 FD-T661-3 Conventional style for 44/48T Dual pull Multi clamp



Hydraulic disc brake (Center lock mount series)

- BR-T665
Disc brake
- HB-T665
for disc brake
- FH-T665
for disc brake
- HB-T708
8mm thru axle
for disc brake
- DH-T708
8mm thru axle
Hub Dynamo
6V-3.0W
for disc brake
- SM-AX60
8mm thru axle
with nut
- SM-RT64
180mm(front only)
160mm
Disc rotor
- DH-T665
Hub Dynamo
6V-3.0W
for disc brake
- SM-BH59
Brake hose
- SM-PM70
Power modulator
- BR-T660
Cartridge shoe type
- HB-T660
FH-T660
- DH-T660-3N
Hub dynamo
6V-3.0W
- DH-T660-2N
Hub dynamo
6V-2.4W

V-BRAKE



SM-RT64
Disc Rotor
160mm
Center Lock mount

*CP-WH10 : for CS-HG50-9/CS-HG61-9/CS-HG80-9 (11-32T)
CP-WH11 : for CS-M770 (11-32T)

Disc brake spec

- BL-M596
Brake lever
1.5-finger
- SL-M590
RAPIDFIRE Plus shifter

V-BRAKE spec

- ST-M590
RAPIDFIRE Plus
Shift/brake lever
3-finger
- SL-M590
RAPIDFIRE Plus shifter
- BL-M590
Brake lever
1.5-finger
- BL-M591
Brake lever
3-finger

Chainstay angle(degree)	
66-69	63-66
 FD-M590-6 TOP SWING FD for 44/48T Dual pull Multi clamp CL: 50mm	 FD-M590-3 TOP SWING FD for 44/48T Dual pull Multi clamp CL: 50mm
 FD-M591-6 Conventional style for 44/48T Dual pull Multi clamp CL: 50mm	 FD-M591-3 Conventional style for 44/48T Dual pull Multi clamp CL: 50mm

RD-M591-SGS
Top normal

FC-M591-L/S
2-Piece Crank Arm
44-32-22T
48-36-26T
chaincase compatible
CL: 50 mm

Hydraulic disc brake (Center lock mount series)

BR-M596 Disk brake
SM-RT64 180mm 160mm Disc rotor
SM-BH-90-SS Brake hose

HB-M595 for disc brake
FH-M595 for disc brake

BR-M590
HB-M590
FH-M590

SM-PM70 Power modulator

V-BRAKE

CS-HG61-9 9-speed HG CS
11-28T
11-32T
11-34T

CN-HG73 Super narrow HG chain

OT-SP41 Shift outer casing

WH-M505 Center lock mount

SM-SP17
SM-BT17
(SM-SP18)
(SM-BT18)

SM-PM40 Power modulator

PD-M424

PD-M540
PD-M520
PD-M505

PD-M324

CP-FH75
CP-FH76
for Disk brake hub

CP-FH56
CP-FH53

CP-WH12*
CP-WH13

*CP-WH12 : CS-HG61-9/CS-HG50-9 (11-32T/11-34T)
CP-WH13 : CS-M770 (11-32T/11-34T)

BL-M505
Hydraulic disc
brake lever

FC-M543-LK/SK
Shimano logo
2-Piece Crank Arm
44-32-22T
48-36-26T
chaincase compatible
CL: 50mm

FC-M521-L/S

FC-M431
Shimano logo
44-32-22
48-36-26
chaincase compatible

FC-M431-8
Shimano / Alivio logo
OCTALINK
44-32-22
48-36-26
chaincase compatible

BB-ES25
OCTALINK BB

BB-UN26
Square BB

BR-M446
Hydraulic disc brake

SM-RT75
180mm
160mm

SM-RT53
Center lock
180mm
160mm

SM-RT51
180mm
160mm

DL-M445
Hydraulic disc
brake lever
3-finger


6-bolts rotor

DH-3D72
Hub Dynamo
6V-3.0W
for disc brake
Center Lock mount


DH-3N72

DH-3D35
Hub Dynamo
6V-3.0W
for disc brake
Center Lock mount

CS-HG50-9
11-32T
11-34T



*1) w/ CI-Deck available as an option
*2) for Japanese market
*3) not compatible with CI-Deck
*5) Must be used with 2.4W Hub Dynamo



*1) w/ Cl-Deck available as an option

*2) for Japanese market

*3) not compatible with Cl-Deck

*4) for 14-28T/ 6-speed MF

*5) Must be used with 2.4W Hub Dynamo



RD-TX75
RD-TX55
for 7/6-speed
MegaRange
w/ wheel-type
cable guide pulley



RD-TX35
for 7/6-speed
MegaRange



RD-FT30
for Single front
chainwheel only
w/ wheel-type
cable guide pulley
Max rear Sprocket: 28T
Total capacity: 17T



*1)
*2)5) SL-RS44-7R
EW-NX60
SM-RS44-L
w/position
LED LIGHT

SL-RS43-7R
SL-RS41-7R
SL-RS41A-7R
SL-RS35-7R
REVOSHIFT



*3)
SL-TX50-7R
SL-TX30-7R
Thumb shifter plus

SL-TZ20-7R
Thumb shifter



CS-HG30-I
7-speed / 11-28T

CS-HG20-7
7-speed / 12-28T
NEW 12-32T

MF-HG37
7-speed / 13-28T

MF-TZ21
7-speed / 14-28T

MF-TZ21-CP
7-speed / 14-28T
W/Chain protector

MF-TZ31
7-speed / 14-34T
MegaRange

MF-TZ31-CP
7-speed / 14-34T
MegaRange
W/Chain protector



CN-UG51



OT-SIS40
Shift outer
casing



SM-SP18
SM-BT18



CP-R750
for 34T low gear
CP-HG22
for 28T low gear



CP-HG22
for 28T low gear

OPTION



ID-TX50-7R(SIS)
ID-TX50-LC



SM-TX30
Bracket



SM-TX50
Bracket



SC-TX30
Cycle computer



SC-TX31
Gear change
Timing Indicator




SM-TX31
Cowling




SM-TX32
Analogue Compass

OPTION

Front wheel



*2) DH-2N35-JW
DH-2N20-DT
Hub Dynamo
6V-2.4W



HB-IM40
w/Power
modulator

Rear wheel



RH-IM10
Roller brake
compatible
rear hub for
multi freewheel
FH-RM30-7NT

OPTION



BR-M422-L/S
Black or Silver



SM-PM40
SM-PM60
Power
modulator



BR-IM35-FF
Roller brake



BR-IM35-RF
Roller brake
SM-CLIP***
Arm clip unit
for chainstay

*2)5) SM-RS44-L
Position
LED Light
LPX100
LPX101



*2)5) LP-RTX3
LP-C050A-ATJ

*1) w/ CI-Deck available as an option

*2) for Japanese market

*3) not compatible with CI-Deck

*5) Must be used with 2.4W Hub Dynamo



RD-TX75
RD-TX55
for 7/6-speed
MegaRange
w/ wheel-type
cable guide pulley



RD-TX35
for 7/6-speed
MegaRange



RD-FT30
for Single front
chainwheel only
w/ wheel-type
cable guide pulley
Max rear Sprocket: 28T
Total capacity: 17T

RD-TY18 *4)
for 6-speed

RD-TZ50 *4)
for 6-speed

*1) w/ CI-Deck available as an option

*2) for Japanese market

*3) not compatible with CI-Deck

*4) for 14-28T/ 6-speed MF

*5) Must be used with 2.4W Hub Dynamo

*1)

*2)5) SL-RS44-6R
EW-NX60
SM-RS44-L
w/position
LED LIGHT

SL-RS43-6R
SL-RS41-6R
SL-RS35-6R
REVOSHIFT

*3)

SL-TX50-6R
SL-TX30-6R
Thumb shifter plus

SL-TZ20-6R
Thumb shifter

6

MF-TZ20
6-speed / 14-28T

MF-TZ20-CP
6-speed / 14-28T
W/Chain protector

MF-TZ30
6-speed / 14-34T
MegaRange

MF-TZ30-CP
6-speed / 14-34T
MegaRange
W/Chain protector

CN-UG51

OT-SIS40
Shift outer
casing

SM-SP18
SM-BT18

OPTION

ID-TX50-6R (SIS)
ID-TX50-LC

SM-TX30
Bracket

SM-TX50
Bracket

SC-TX30
Cycle computer

SC-TX31
Gear change
Timing Indicator

SM-TX31
Cowling

SM-TX32
Analogue Compass

CP-R750
for 34T low gear

CP-HG22
for 28T low gear

CP-HG22
for 28T low gear

OPTION

Front wheel

DH-2N35-JW
*2) DH-2N20-DT
Hub Dynamo
6V-2.4W

HB-IM40
w/Power
modulator

OPTION

Rear wheel

BR-IM10
Roller brake
compatible
rear hub for
multi freewheel

OPTION

BR-M422-L/S
Black or Silver

SM-PM40
SM-PM60
Power
modulator

BR-IM35-FF
Roller brake

BR-IM35-RF
Roller brake

SM-CLIP***
Arm clip unit
for chainstay

*2)5) SM-RS44-L
Position
LED Light

LPX100
LPX101

*2)5) LP-RTX3
LP-C050A-ATJ

DURA-ACE

20-SPEED

DURA-ACE 7900



ST-7900 RD-7900 FD-7900

for 20-speed

SL-7900 Shift lever for Down Tube
BL-TT79 Brake lever for Aero type bar
SL-B579 Shift lever Bar End



OT-SP41
Shift outer casing

SM-CA70
Cable inline adjuster



SM-SP17




SC-7900
Cycle Computer

SM-HR79
Chest Belt

SM-SC79
Bracket & ST Sensor L / R

DURA-ACE 7970




ST-7970

RD-7970* FD-7970-F

SM-BTR1
Battery

*Not for CS11-28T

ST-7971



for 20-speed

SM-AD79
Band adaptor

SM-BCR1
Battery charger

SM-BCC1
Code for SM-BCR1

NEW EW-7974
Electric cable

EW-7972
Electric cable


EW-7973
Electric cable

SM-BA01
Bottle cage adaptor

SM-EWC1
Code cover

SM-HR79
Chest Belt

SM-SC79
Bracket & ST Sensor L / R



FC-7900
HOLLOWTECH-II crankset
53-42T 54-42T
52-39T 55-42T
53-39T 56-44T

BR-7900

FC-7950
HOLLOWTECH-II crankset
50-34T

SM-BB7900
BB Cups assembly unit



CS-7900
10-speed HG CS
11-21T 11-23T
11-25T 11-27T
11-28T 12-23T
12-25T 12-27T



CN-7901
Super narrow HG chain for 10-speed

CYCLOCROSS



NEW BR-CX70
Cantilever brake

NEW SM-CB70
Brake cable inline adjuster

Complete wheel



NEW WH-7900-C50-TU
50mm deep Carbon Tubular Wheel set

NEW WH-7900-C50-CL
50mm deep Carbon/Aluminium Clincher Wheel set

NEW WH-7900-C35-TU
35mm Carbon Tubular Wheel set

NEW WH-7900-C35-CL
35mm Carbon/Aluminium Clincher Wheel set

NEW WH-7900-C24-TL
Carbon/Aluminium Road Tubeless Wheel set

NEW WH-7900-C24-CL
Carbon/Aluminium Clincher Wheel set

WH-7850-C24-TU
Carbon Tubular Wheel set

WH-7850-SL
Scandium Alloy Road Tubeless Wheel set

CP-WH23
Spoke protector for WH-7850 WH-7900



HB-7900
FH-7900




NEW PD-7900
PD-7810
SPD-SL Pedal



HP-7410

SHIMANO ULTEGRA 6770 series

20-SPEED



Color option
 NEW Glossy Gray
 Silver

SHIMANO ULTEGRA

20-SPEED



ST-6700-R
 ST-6700-L

RD-6700-SS

FD-6700

FC-6700
 HOLLOWTECH II
 w/ BB cup unit
 52-39T/53-39T

(SM-BB6700)

CN-6701
 Super narrow
 HG chain for
 10-speed

SL-7900
 Shift lever
 for Down Tube
 SL-BS79
 Shift lever
 Bar End

BL-TT79 (Carbon)
 Brake lever for Aero
 type bar

For flat handlebar (Double)



NEW SL-R780-R
 NEW SL-R780-L

NEW BL-R780

30-SPEED



ST-6700-R
 ST-6703-L

RD-6700-GS

FD-6703

FC-6703
 HOLLOWTECH II
 w/ BB cup unit
 52-39-30T

(SM-BB6700)

CN-6600
 Super narrow
 HG chain for
 10-speed

SL-7900
 SL-BS79

BL-TT79 (Carbon)
 Brake lever for Aero
 type bar

For flat handlebar (Triple)



NEW SL-R780-R
 NEW SL-R783-L

NEW BL-R780

For Tandem bike

NEW FC-R603/601
 52-39-30T/40T



SC-7900
 Cycle computer

SM-HR79
 Chest belt

SC-SC79
 Bracket & ST
 sensor L/R



BR-6700
 Caliper brake



CS-6700
 10-speed HG CS
 11-23T
 11-25T
 11-28T
 12-23T
 12-25T




OT-SP41
 Shift outer
 casing

SM-CA50
 Cable inline
 adjuster



SM-SP17



HB-6700
 FH-6700



WH-6700
 Road Tubeless
 compatible

NEW CP-FH05
 NEW CP-FH06
 CP-FH35
 CP-FH31

WH-RS80-C50
 WH-RS80-C24
 Shimano logo
 Wheel set

CP-WH23
 Spoke protector for
 WH-6700
 WH-RS80



NEW PD-6700
 SPD-SL Pedal

CYCLOCROSS



NEW BR-CX70
 Cantilever brake

NEW SM-CB70
 Brake cable
 inline adjuster

20-SPEED



ST-5700



NEW RD-5700-A-SS



FD-5700



FC-5700
HOLLOWTECH II
w/ BB cup unit
52-39T/53-39T

FC-5750
50-34T



(SM-BB5700)
BB cups
assembly unit



CN-5701
Super narrow
HG chain
for 10-speed

For flat handlebar (Double)



NEW SL-R780-R
NEW SL-R780-L



NEW BL-R780

30-SPEED



ST-5703



NEW RD-5700-A-GS



FD-5703



FC-5703
HOLLOWTECH II
w/ BB cup unit
50-39-30T



(SM-BB5700)
BB cups
assembly unit



CN-5600
Super narrow
HG chain
for 10-speed

For flat handlebar (Triple)



NEW SL-R780-R
NEW SL-R783-L



NEW BL-R780

for 20 / 30-speed

SL-7900
SL-BS79

BL-TT79 (Carbon)
Brake lever for
Aero type bar

CYCLOCROSS



NEW BR-CX50
Cantilever brake

NEW SM-CB70
Brake cable
inline adjuster



BR-R650
Long reach
Caliper brake

NEW BR-R561
Caliper brake



BR-5700
Caliper brake



CS-5700
10-speed HG CS
11-25T
12-25T
12-27T
11-28T



OT-SP41
Shift outer
casing

SM-CA50
Cable inline
adjuster



SM-SP17



HB-5700
FH-5700

CP-FH05
CP-FH06
CP-FH31
CP-FH35



DH-3N80
DH-3N72
Hub dynamo
6V-3.0W

DH-2N80
DH-2N72
Hub dynamo
6V-2.4W



WH-RS30-A
WH-RS20-A
WH-RS10-A
Shimano logo
Wheel set

CP-WH23
Spoke protector
for
WH-7850
WH-RS10-A
WH-RS20-A
WH-RS30-A



PD-5700
SPD-SL Pedal



PD-A530
SPD Pedal

PD-A520
SPD Pedal

20-SPEED




NEW ST-4600-R
NEW ST-4600-L
NEW RD-4600-SS
NEW FD-4600


For flat handlebar (Double)



NEW SL-4600-R
NEW SL-4600-L
NEW BL-4600



for double
NEW FC-4600
2-Piece Crank Arm
52-39T
NEW FC-4650
2-Piece Crank Arm
50-34T
NEW FC-R565
2-Piece Crank Arm
50-34T
NEW (SM-BB4600)
NEW CN-4601
Super narrow HG chain for 10-speed



NEW BR-4600
Caliper brake
NEW CS-4600
10-speed HG CS
11-25T
12-28T
12-30T
OT-SP41
Shift outer casing
SM-SP17

30-SPEED




NEW ST-4600-R
NEW ST-4603-L
NEW RD-4600-GS
NEW FD-4603


For flat handlebar (Triple)



NEW SL-4600-R
NEW SL-4603-L
NEW BL-4600



for Triple
NEW FC-4603
2-Piece Crank Arm
50-39-30T
NEW FC-R563
2-Piece Crank Arm
50-39-30T
NEW (SM-BB4600)
CN-5600
Super narrow HG chain for 10-speed




BR-R505
Disc brake
SM-RT62
Center Lock mount rotor
NEW BR-R451
Long reach w/ Shimano logo


CYCLOCROSS



NEW BR-CX50
Cantilever brake
NEW SM-CB70
Brake cable inline adjuster



NEW HB-4600
NEW FH-4600
CP-FH35
CP-FH31
NEW CP-FH45
NEW CP-FH46
DH-3N80
DH-3N72
FH-4600
Hub dynamo 6V-3.0W
DH-2N80
DH-2N72
FH-4600
Hub dynamo 6V-2.4W



WH-RS30-A
WH-RS20-A
WH-RS10-A
Shimano logo wheel set
CP-WH23
Spoke protector for WH-RS30-A WH-RS20-A WH-RS10-A

NEW WH-R501
WH-R501-A
Shimano logo wheel set
CP-FH06
for 21-25T
CP-FH31
for 26-30T



PD-R540
SPD-SL Pedal



PD-A530
SPD Pedal
PD-A520
SPD Pedal

HB-R505
FH-R505
for disc brake
Center lock rotor mount
OLD: 135mm
(Refer to technical information)
Disc brake

SHIMANO SORA

18-SPEED



ST-3400 RD-3400-SS FD-3400 FC-3450 (SM-FC4500)

2-Piece Crank
50-34T

FC-R450
52-39T
Shimano logo

BB-ES25
OCTALINK BB

SL-R400 BL-R400

For flat handlebar



SL-R440 BL-R550 FD-R440

NEW FC-R345
50-34T
Shimano logo



BR-3400
Caliper brake



NEW BR-R451
Caliper brake
long reach
w/Shimano logo



CS-HG50-9
9-speed HG CS
11-25T
12-23T
12-25T
13-25T
14-25T
12-27T



CN-HG53



OT-SP41
Shift outer
Casing


NEW SM-CA50
Cable inline
adjuster



SM-SP17



HB-2200
FH-2200



NEW WH-R501-30
NEW WH-R501-A
NEW WH-R501

CP-FH05
CP-FH06
for 21-25T

CP-FH31
CP-FH35
for 27T



PD-R540
SPD-SL Pedal



PD-A530
SPD Pedal

PD-A520
SPD Pedal

27-SPEED



ST-3400 RD-3400-GS FD-3403 FC-3403 (SM-FC4500)

2-Piece Crank
50-39-30T

FC-R453
50-39-30T

BB-ES25
OCTALINK BB

For flat handlebar



SL-R440 BL-R550 FD-R453
for 50-39-30T

CYCLOCROSS



NEW BR-CX50
Cantilever brake

NEW SM-CB70
Brake cable
inline adjuster

Shimano 2300

16-SPEED

For drop handlebar



ST-2300



RD-2300



FD-2300



FC-2300
52-39T



BB-UN26

For down tube shift

SL-R400 BL-R400

For flat handlebar



SL-R440-8



BL-R550



FD-R440-A

NEW

FC-2350
50-34T



BR-3400
Caliper brake



CS-HG50-8
8-speed HG CS
12-21T
12-23T
12-25T
13-23T
13-26T



CN-HG50
CN-HG40




OT-SP40
Shift outer
Casing

NEW

SM-CA50
Cable inline
adjuster



SM-SP17



HB-2200-S/L
FH-2200-S/L



NEW
WH-R501
Complete
wheel



PD-R540
SPD-SL Pedal



PD-A520
SPD Pedal

CP-FH05
CP-FH06
for 21-25T

CP-FH31
CP-FH35
for 27T

24-SPEED

For drop handlebar



ST-2303



RD-2300



FD-2303



FC-2303
52-42-30T



BB-UN26

For flat handlebar



SL-R440-8



BL-R550



FD-R443-A

NEW


BR-R451
Caliper brake
Long reach
w/ Shimano logo



* Linkwire should be ordered separately
A-LWTYPE(59.5mm)
A-LWZTYF(64.5mm)

Shimano A050

14-SPEED



SL-A050-LN
SL-A050-7R
Shift lever for handle mount

SL-SY20A
Shift lever for Stem or handlebar



RD-A050



FD-A050



FC-A050
52-39T
50-39T



BB-UN26



MF-HG37
MF-TZ21



CN-HG40
CN-UG51

ARCHIVE

Cyclocross Components

Ultegra series



ST-6700



RD-6700-SS S
RD-6700-SS G



FD-CX70



FC-CX70
HOLLOWTECH II
w/ BB cup unit
46-36T




(SM-BB6700)



BR-CX70
Cantilever brake



CS-6700
10-speed HG CS
11-23T
11-25T
11-28T
12-23T
12-25T




CN-6701
Super narrow
HG chain for
10-speed



OT-SP41
Shift outer
casing
SM-CA50
cable inline
adjuster




SM-SP17



HB-6700
FH-6700

CP-FH05
CP-FH06
CP-FH35
CP-FH31



WH-6700 S
WH-6700 G
Road Tubeless
compatible

WH-RS80-C50
WH-RS80-A-C24
Shimano logo
Wheel set

CP-WH23
Spoke protector for
WH-6700
WH-RS80



PD-M780
SPD Pedal

PD-M540
SPD Pedal

105 / Tiagra series



ST-5700
ST-4600



RD-5700-A-SS
RD-4600-SS



FD-CX70



FC-CX50
2-Piece Crank Arm
w/ BB cup unit
46-36T



(SM-BB5700)
(SM-BB4600)



BR-CX50
Cantilever brake



CS-5700
10-speed HG CS
11-25T
12-25T
12-27T
11-28T

CS-4600
10-speed HG CS
11-25T
12-28T
12-30T




CN-5701
CN-4601
Super narrow
HG chain for
10-speed



OT-SP41
Shift outer
casing
SM-CA50
cable inline
adjuster



SM-SP17



HB-5700
FH-5700

HB-4600
FH-4600

CP-FH05
CP-FH06
CP-FH35
CP-FH31
CP-FH45
CP-FH46

WH-RS30-A
WH-RS20-A
WH-RS10-A
Shimano logo
wheel set


CP-WH23
Spoke protector for
WH-RS30-A
WH-RS20-A
WH-RS10-A

WH-R501-30
WH-R501-A
WH-R501
Shimano logo
wheel set


CP-FH06
for 21-25T
CP-FH35
for 26-30T

Tandem Components

Ultegra series



wheel size: 20inch max.




Vertical drop end use



FC-S500
2-Piece Crankset
w/BB unit
45T/39T
Double chain guard


FC-S400
OCTALINK
45T or 39T
Double chain guard



FC-S500
2-Piece Crankset
w/BB unit
45T/39T
Single chain guard






FC-S400
OCTALINK
45T or 39T
Single chain guard

Track drop end use




FC-S500
2-Piece Crankset
w/BB unit
45T/39T
Single chain guard

FC-S400
OCTALINK
45T or 39T
Single chain guard



*Please check the domestic regulation of the final destination.

ROLLER BRAKE SPEC.




V-BRAKE SPEC.



COASTER BRAKE SPEC.




ROLLER BRAKE SPEC.



*refer to technical information for selection

V-BRAKE SPEC.



ROLLER BRAKE SPEC.



BR-IM80-R
NEW SG-7R50


NEW BR-IM81-R
BR-IM55-R
BR-IM45-R

COASTER BRAKE SPEC.




NEW SG-7C30
(Steel Hub Shell)
made in Czech

V-BRAKE SPEC.



Small parts
Left hand dust cap
NEW SG-7R50

ROLLER BRAKE SPEC.




BL-IM45
hub roller brake use
SB-7S45
hub roller brake use




BL-IM65
hub roller brake use
NEW SL-7S20
SL-7S30

V-BRAKE SPEC.



BL-IM65
V-BRAKE use
NEW SL-7S20
SL-7S30

BL-IM45
V-BRAKE use
SB-7S45
V-BRAKE use



BR-IM80-F
DH-3R35(NT)
DH-3R35(QR)
hub dynamo
6V-3.0W
w/Power modulator
Auto-L
compatible Lamp

NEW BR-IM81-F
BR-IM85-F
for international
disc brake mount
NEW BR-IM86-F
for international
disc brake mount
BR-IM55-F
BR-IM45-F
NEW DH-2R35(NT)
hub dynamo
6V-2.4W
w/Power modulator
HB-IM70
HB-IM40
w/Power modulator

*refer to technical information for selection



BR-M422
BR-M432
DH-3N20(NT)
hub dynamo
6V-3.0W
DH-2N35-E(NT)
6V-2.4W
Auto-L
compatible Lamp

DH-3N30(QR)
hub dynamo
6V-3.0W
DH-2N35-E(QR)
hub dynamo
6V-2.4W




CN-NX10
CN-NX01




HP-NX10



ROLLER BRAKE SPEC.




COASTER BRAKE SPEC.



V-BRAKE SPEC.



COASTER /V-BRAKE SPEC.



ROLLER BRAKE SPEC.



BR-IM45-R
BR-IM55-R



SG-3R40

COASTER BRAKE SPEC.



SG-3C41

V-BRAKE SPEC.



Small parts
Left hand dust cap



SG-3R40

DISC-BRAKE SPEC.



BR-M416
SM-RT62



SG-3D55



Small Parts
Set



FC-NX75
33/38T



BB-UN26

ROLLER BRAKE SPEC.



BL-IM65
Roller brake use
3-finger brake lever



SL-3S41E*
SL-3S42E*
SL-3S35E



BR-IM45-F



DH-3R35(NT)
DH-3R35(QR)
hub dynamo
6V - 3.0W
w/ Power modulator



Auto-L
compatible Lamp

BR-IM55-F

DH-2R35-E(NT)
hub dynamo
6V - 2.4W
w/ Power modulator
HB-IM70
HB-IM40
w/ Power modulator

*refer to technical information for selection

V-BRAKE SPEC.



BL-IM65
V-BRAKE use



SL-3S41E*
SL-3S42E*
SL-3S35E



BR-M432
BR-M422

SM-PM40
Power modulator



DH-3N20(NT)
hub dynamo / 6V-3.0W
DH-2N35-E(NT)
hub dynamo / 6V-2.4W



Auto-L
compatible Lamp

DH-2N35-E(QR)
hub dynamo / 6V-2.4W

DISC-BRAKE SPEC.



BL-IM65
V-BRAKE use
BL-M421



SL-3S41E*
SL-3S42E*
SL-3S35E



BR-M416
SM-RT51
SM-RT53



HB-RM66



Auto-L
compatible Lamp



DH-3D35
hub dynamo / 6V-3.0W

*SL-3S41E: Short Grip
*SL-3S42E: Long Grip



CN-NX10
CN-NX01



HP-NX10